

SLIDING FRENCH DOOR

3 Panel

MO (mm)	11-11 (3632)	
RO (mm)	11-11 1/2 (3645)	
FS (mm)	11-10 1/2 (3620)	
DLO (mm)	40 3/8 (1026)	

6-7 3/4 (2026)				
6-8 (2032)				
6-7 1/2 (2019)				
67 3/32 (1704)				
6-10 1/4 (2089)				
6-10 1/2 (2096)				
6-10 (2083)				
69 19/32 (1788)				
7-2 1/4 (2191)				
7-2 1/2 (2197)				
7-2 (2184)				
73 19/32 (1869)				
7-11 3/4 (2432)				
8-0 (2438)				
7-11 1/2 (2426)				
83 3/32 (2111)				

Direct Glaze Over Sliding Patio Door

MO (mm)	5-11 1/2 (1816)	8-11 (2718)
RO (mm)	6-0 (1829)	8-11 1/2 (2731)
FS (mm)	5-11 (1803)	8-10 1/2 (2705)
DLO (mm)	66 5/8 (1692)	102 1/8 (2594)

1-4 (406)		
1-4 1/4 (413)		
1-3 3/4 (400)		
11 3/8 (289)		

Direct Glaze Over Sliding Patio Door

MO (mm)	5-11 1/2 (1816)
RO (mm)	6-0 (1829)
FS (mm)	5-11 (1803)

8-2 (2489)	
8-2 1/4 (2496)	
8-1 3/4 (2483)	

Details and Elevations not to scale.

* This product is only available field mullled

When ordering 6 9/16" (167 mm) or 6 13/16" (173 mm) jambs, add 1/4" (6 mm) to width and 1/8" (3 mm) to height for Rough Opening, Frame Size and Masonry Opening.

Optional Direct Glaze GBGs and SDLs are available in a standard Rectangular cut, as shown. Alternate lite cuts available to align with door using select lite cut options shown on page 3.

Optional Round Top SDL and SDL with Spacer Bar are available in a standard cut, as shown. Round Top GBG cuts are shown on page 35. (Round Top divided lites not available in other lite cuts)

For further details and drawings visit the 'Tools and Documents' section at Marvin.com.

MULTIPLE ASSEMBLIES

Field mull kits available not to exceed 110" x 112". True Half Rounds are available field mullled only. Structural mullion reinforcement is required for some assemblies.


Please consult your local Marvin representative for more information.

MARVIN ELEVATE™ COLLECTION
SLIDING FRENCH DOOR


4 Panel

MO (mm)	9-9 1/2 (2985)	11-9 1/2 (3594)	15-9 1/2 (4813)
RO (mm)	9-10 (2997)	11-10 (3607)	15-10 (4826)
FS (mm)	9-9 (2972)	11-9 (3581)	15-9 (4801)
DLO (mm)	22 3/8 (568)	28 3/8 (721)	40 3/8 (1026)


6-7 3/4 (2026)	6-10 1/4 (2089)	7-2 1/4 (2191)	7-11 3/4 (2432)
6-8 (2032)	6-10 1/2 (2096)	7-2 1/2 (2197)	8-0 (2438)
6-7 1/2 (2019)	6-10 (2083)	7-2 (2184)	7-11 1/2 (2426)
67 3/32 (1704)	69 19/32 (1768)	73 19/32 (1869)	83 3/32 (2111)




ELSFD10065 OXXO




ELSFD12065 OXXO




ELSFD16065 OXXO




ELSFD10068 OXXO




ELSFD12068 OXXO




ELSFD16068 OXXO




ELSFD10070 OXXO




ELSFD12070 OXXO




ELSFD16070 OXXO



ELSFD10080 OXXO




ELSFD12080 OXXO




ELSFD16080 OXXO


Construction Details



Head Jamb and Sill



4 Panel Jamb - OXXO Operator
 Frame Heights over 86"



4 Panel Jamb - OXXO Operator
 Frame Heights 86" or Less