

# SWINGING FRENCH DOORS 2 1/4INCH

## Table of Contents

	<b>PAGE</b>
History .....	2
Part Identification – Ultimate Wood Outswing French Door 2 1/4inch .....	3
Part Identification – Ultimate Wood Outswing French Door 2 1/4inch (Stationary) .....	4
Part Identification – Ultimate Outswing French Door 2 1/4inch .....	5
Part Identification – Ultimate Wood Inswing French Door 2 1/4inch .....	6
Part Identification – Ultimate Wood Inswing French Door 2 1/4inch (Stationary) .....	7
Part Identification – Ultimate Inswing French Door 2 1/4inch .....	8
Part Identification – Ultimate Wood Outswing French Door 2 1/4inch Arch Top .....	9
Part Identification – Ultimate Outswing French Door 2 1/4inch Arch Top .....	10
Part Identification – Ultimate Wood Inswing French Door 2 1/4inch Arch Top .....	11
Part Identification – Ultimate Inswing French Door 2 1/4inch Arch Top .....	12
Replacement Parts .....	13
Panel Replacement .....	23
Weather Strip .....	24
Replacement Aluminum and Wood Parts .....	26
Parts for Lock Status Sensor .....	28
Discontinued Parts – Limited Availability (LA) .....	29
Discontinued Parts – No Availability (NA) .....	33
Discontinued Weather Strip – Limited Availability (LA) .....	34
Discontinued Weather Strip – No Availability (NA) .....	35
Discontinued Wood Parts – Limited Availability (LA) .....	36
 Screens – See Door Screen Chapter	


### **ATTENTION:**

- Specification and technical data are subject to change without notice.
- Numbers listed in parentheses ( ) are metric equivalents in millimeters rounded to the nearest whole number.

Produced	Unit Type	Features and Changes	Status
2005	IZ3 2 1/4inch Panel Doors	5/31/2005 2 1/4inch Panel IZ3 doors introduced. Units feature multi-point lock, LVL stiles and rails, and 4 1/2" x 4 1/2" ball bearing hinges.	Present
2005	IZ4 2 1/4inch Panel Doors	9/06/2005 Introduced 2 1/4inch Panel door for IZ4.	Present
2006	Ultimate and Ultimate Wood French Door 2 1/4inch	11/20/2006 Introduced the 2 1/4inch door as a standard residential product.	Present
2007	Ultimate and Ultimate Wood French Door 2 1/4inch	2/20/07 Introduced raised and flat panels as a standard option.	Present
2008	Ultimate French Door 2 1/4inch	7/28/2008 Mixed grain Douglas fir is now a standard option.	Present
2009	All	3/23/2009 Added LoE <sup>3</sup> -366™ as a standard option for all products. Added Cedro Macho as a standard option for all Ultimate products.	Present
2009	Ultimate and Ultimate Wood Outswing French Door 2 1/4inch	3/30/2009 Implemented design changes to the 2 1/4inch Outswing. Changes include new panel sweep, dust blocks, IZ3/IZ4 wood bead and shoot bolt reinforcement.	Present
2010	All	2/22/2010 Added Dark Bronze hardware finish to doors.	Present
2011	All	4/25/2011 Added LoE-180™ as a standard option for all products. White painted interior finish option introduced for all products.	Present
2012	All	7/30/2012 Adjustable Hinge became standard. 10/29/2012 Interior Square Sticking/Glazing Bead option introduced. 12/17/2012 Introduced Clear Interior Finish option on all products.	Present
2013	All	4/29/2013 – Introduced interior stain options. Stain colors are Wheat, Honey, Leather, Hazelnut, Cabernet and Espresso.	Present
	Ultimate and Ultimate Wood Inswing and Outswing French 2 1/4inch	12/16/2013 – Interior Shades option introduced.	
2014	All Ultimate Doors	2/24/2014– Introduced two Pearlescent colors (Bright Silver and Copper) and discontinued colors (Sherwood Green and Cobalt Blue) to the Ultimate Doors. Removed screen information and added new chapter for screen to manual.	Present
	Ultimate and Ultimate Wood Inswing and Outswing French Doors 2 1/4inch	4/28/2014 – Added the Contemporary Panel and Contemporary Handle options.	
2014	All Doors and 2 1/4inch Inswing and Outswing French Doors	6/23/2014 – Added PVD color options for the Contemporary Handle; Oil Rubbed Bronze PVD and Satin Nickel PVD are now available.	Present
2014	All Doors and Ultimate and Ultimate Wood Inswing and Outswing French Doors 2 1/4inch	8/25/2014 Panel drip and screws (A2408) will now match standard color. Screws for custom color will be stainless steel.	Present
2015	All Doors and Ultimate and Ultimate Wood Inswing and Outswing French Doors 2 1/4inch	6/06/2015 Replace the current sweep profiles for the Outswing doors. V1713 and V1657 are replaced with V2416 and V2427. The A2408 Panel Drip is no longer needed with this new sweep design.	Present
2016	All	10/31/2016 Discontinued the wood species Cedro Macho for all products.	Present
2017	Ultimate French Doors 2 1/4	12/18/2017 – Added availability of Lock Status Sensor.	Present


**Ultimate Wood Outswing French Door 2 1/4inch**

*Also available with IZ3 and IZ4 glazing.*



**Head Jamb  
and Sill**

1. Head Jamb Brick Mould Casing
2. Head Jamb
3. Head Jamb Weather Strip
4. Connecting Barb
5. Head Jamb Stop
6. Head Jamb Stop Weather Strip
7. Top Rail
8. Glazing Bead
9. Insulating Glass
10. Bottom Rail
11. Sill Weather Strip
12. Sill Liner
13. Sill
14. Sweep
15. Panel Cover Weather Strip
16. Jamb Brick Mould Casing
17. Jamb
18. Adjustable Hinge
19. Stile
20. Stile Weather Strip
21. Jamb Stop
22. Jamb Stop Weather Strip
23. Jamb Weather Strip
24. Exterior Handle
25. Interior Handle
26. Astragal Weather Strip
27. Astragal
28. Astragal Base
29. Inactive Panel Locking Stile
30. Active Panel Locking Stile
31. Inactive Panel Weather Strip




**Jamb XX-R**

NOTE: Not to scale; specifications subject to change without notice.


**Ultimate Wood Outswing French Door 2 1/4inch  
(Stationary)**

*Also available with IZ3 and IZ4 glazing.*



**Head Jamb  
and Sill**

1. Head Jamb Brick Mould Casing
2. Head Jamb
3. Head Jamb Weather Strip
4. Connecting Barb
5. Head Jamb Stop
6. Head Jamb Stop Weather Strip
7. Top Rail
8. Glazing Bead
9. Bottom Rail
10. Sweep
11. Sill Weather Strip
12. Sill Liner
13. Sill
14. Stationary Sweep Filler
15. Panel Drip
16. Insulating Glass
17. Panel Cover Weather Strip
18. Jamb Brick Mould Casing
19. Jamb
20. Jamb Stop
21. Jamb Weather Strip
22. Stationary Stile
23. Connecting Barb
24. Frame Weather Strip
25. Spacer Tack
26. Stile Weather Strip[




**Jamb O**

NOTE: Not to scale; specifications subject to change without notice.


**Ultimate Outswing French Door 2 1/4inch**

*Also available with IZ3 and IZ4 glazing.*



**Head Jamb  
and Sill**

1. Nailing Fin/Drip Cap
2. Head Jamb
3. Frame Weather Strip
4. Connecting Barb
5. Head Jamb Stop
6. Head Jamb Stop Weather Strip
7. Top Rail
8. Glazing Bead
9. Bottom Rail
10. Sweep
11. Sill Weather Strip
12. Sill Liner
13. Sill
14. Sweep
15. Bottom Rail Cladding
16. Insulating Glass
17. Top Rail Cladding
18. Panel Cover Weather Strip
19. Head Jamb Cladding
20. Jamb Cladding
21. Nailing Fin
22. Jamb
23. Jamb Stop
24. Jamb Stop Weather Strip
25. Stile
26. Interior Handle
27. Astragal Weather Strip
28. Astragal
29. Astragal Base
30. Connecting Barb
31. Frame Weather Strip
32. Adjustable Hinge
33. Stile Cladding
34. Active Panel Locking Stile
35. Exterior Handle




**Jamb XX-R**

NOTE: Not to scale; specifications subject to change without notice.


**Ultimate Wood Inswing French Door 2 1/4inch**

Also available with IZ3 glazing.



**Head Jamb  
and Sill**

1. Head Jamb Brick Mould Casing
2. Head Jamb
3. Head Jamb Weather Strip
4. Head Jamb Stop
5. Head Jamb Stop Weather Strip
6. Top Rail
7. Glazing Bead
8. Insulated Glass
9. Bottom Rail
10. Panel Drip
11. Hydro Optimizer
12. Sill
13. Hydro Optimizer Reinforcement
14. Sill Weather Strip
15. Stile Weather Strip
16. Sill Liner
17. Brick Mould Casing
18. Jamb
19. Jamb Weather Strip
20. Jamb Stop Weather Strip
21. Stile
22. Exterior Handle
23. Interior Handle
24. Active Panel Locking Stile
25. Mull Base Stile Weather Strip
26. Stile Weather Strip
27. Astragal Weather Strip
28. Astragal
29. Astragal Base
30. Ball Bearing Hinge
31. Side Jamb Parting Stop
32. Inactive Panel Locking Stile




**Jamb XX-L**

NOTE: Not to scale; specifications subject to change without notice.


**Ultimate Wood Inswing French Door 2 1/4inch  
(Stationary)**

*Also available with IZ3 glazing.*



**Head Jamb  
and Sill**

1. Head Jamb Brick Mould Casing
2. Head Jamb
3. Head Jamb Weather Strip
4. Head Jamb Parting Stop
5. Head Jamb Stop Weather Strip
6. Header Spacer Tack
7. Top Rail
8. Insulating Glass
9. Glazing Bead
10. Bottom Rail
11. Panel Drip/Leveling Block
12. Sill Weather Strip
13. Sill Liner
14. Hydro-Optimizer
15. Bottom Rail Weather Strip
16. Sill
17. Hydro-optimizer Reinforcement
18. Side Brick Mould Casing
19. Side Jamb
20. Side Jamb Parting Stop
21. Side Jamb Parting Stop Weather Strip
22. Stationary Stile
23. Side Jamb Weather Strip
24. Stationary Panel Spacer Tack




**Jamb O**

NOTE: Not to scale; specifications subject to change without notice.


### Ultimate Inswing French Door 2 1/4inch

Also available with IZ3 glazing.



**Head Jamb  
and Sill**

1. Nailing Fin/Drip Cap
2. Head Jamb
3. Head Jamb Weather Strip
4. Head Jamb Cladding
5. Head Jamb Stop
6. Head Jamb Stop Weather Strip
7. Top Rail Cladding
8. Top Rail
9. Glazing Bead
10. Insulating Glass
11. Bottom Rail Cladding
12. Bottom Rail
13. Panel Drip
14. Hydro-Optimizer
15. Sill
16. Hydro-Optimizer Reinforcement
17. Sill Weather Strip
18. Stile Weather Strip
19. Sill Liner
20. Jamb Cladding
21. Nailing Fin
22. Jamb
23. Jamb Weather Strip
24. Jamb Stop Weather Strip
25. Stile
26. Stile Cladding
27. Exterior Handle
28. Interior Handle
29. Active Panel Locking Stile
30. Stile Weather Strip
31. Mull Base Stile Weather Strip
32. Astragal Weather Strip
33. Astragal
34. Astragal Base
35. Adjustable Hinge
36. Side Jamb Parting Stop
37. Inactive Panel Locking Stile




**Jamb XX-L**

NOTE: Not to scale; specifications subject to change without notice.




**Ultimate Wood Outswing French Door 2 1/4 inch Arch Top**

*Also available with IZ3 and IZ4 glazing.*



1. Head Jamb Brick Mould Casing
2. Head Jamb
3. Frame Weather Strip
4. Bulb Weather Strip
5. Head Jamb Stop
6. Top Rail
7. Glazing Bead
8. Insulating Glass
9. Bottom Rail
10. Sill
11. Sweep
12. Sill Weather Strip
13. Sill Liner
14. Stile Weather Strip
15. Jamb Brick Mould Casing
16. Jamb
17. Adjustable Hinge
18. Stile
19. Stile Weather Strip
20. Jamb Stop
21. Connecting Barb
22. Exterior Handle
23. Interior Handle
24. Astragal Weather Strip
25. Astragal
26. Astragal Base
27. Inactive Panel Locking Stile
28. Active Panel Locking Stile
29. Radiused Glazing Bead
30. Inactive Panel Weather Strip

**Head Jamb  
and Sill**




**Jamb XX-R RT2**  
**For RT6 part identification, see page 3.**

NOTE: Not to scale; specifications subject to change without notice.


**Ultimate Outswing French Door 2 1/4 inch Arch Top**

*Also available with IZ3 and IZ4 glazing.*



**Head Jamb  
and Sill**

1. Nailing Fin/Drip Cap
2. Head Jamb
3. Frame Weather Strip
4. Head Jamb Cladding
5. Stile Weather Strip
6. Bulb Weather Strip
7. Head Jamb Stop
8. Top Rail Cladding
9. Top Rail
10. Glazing Bead
11. Insulated Glass
12. Bottom Rail
13. Bottom Rail Cladding
14. Sweep
15. Sill
16. Sill Weather Strip
17. Sill Liner
18. Jamb
19. Nailing Fin
20. Jamb Cladding
21. Adjustable Hinge
22. Jamb Stop
23. Inactive Panel Weather Strip
24. Stile
25. Stile Cladding
26. Interior Handle
27. Exterior Handle
28. Astragal Weather Strip
29. Astragal
30. Astragal Base
31. Stile Weather Strip
32. Active Panel Locking Stile
33. Inactive Panel Locking Stile
34. Radiused Glazing Bead
35. Connecting Barb




**Jamb XX-R RT2**  
**For RT6 part identification, see page 5**

NOTE: Not to scale; specifications subject to change without notice.


**Ultimate Wood Inswing French Door 2 1/4 inch Arch Top**

*Also available with IZ3 glazing.*



**Head Jamb  
and Sill**

1. Head Jamb Brick Mould Casing
2. Head Jamb
3. Head Jamb Weather Strip
4. Head Jamb Stop
5. Head Jamb Stop Weather Strip
6. Top Rail
7. Glazing Bead
8. Insulating Glass
9. Bottom Rail
10. Panel Drip
11. Hydro-Optimizer
12. Sill
13. Hydro-Optimizer Reinforcement
14. Sill Weather Strip
15. Stile Weather Strip
16. Sill Liner




**Jamb XX-L RT2**

**For RT6 part identification, see page 6**


NOTE: Not to scale; specifications subject to change without notice.

**Ultimate Inswing French Door 2 1/4 inch Arch Top**


Also available with IZ3 glazing.



**Head Jamb  
and Sill**



**Jamb RT6**



**Jamb XX-L RT2**

1. Nailing Fin/Drip Cap
2. Head Jamb
3. Head Jamb Weather Strip
4. Head Jamb Cladding
5. Head Jamb Stop
6. Head Jamb Stop Weather Strip
7. Top Rail Cladding
8. Top Rail
9. Glazing Bead
10. Insulating Glass
11. Bottom Rail Cladding
12. Bottom Rail
13. Panel Drip
14. Hydro-Optimizer
15. Sill
16. Hydro-Optimizer Reinforcement
17. Sill Weather Strip
18. Stile Weather Strip
19. Sill Liner
20. Jamb Cladding
21. Nailing Fin
22. Jamb - RT2
23. Jamb Weather Strip
24. Jamb Stop Weather Strip
25. Stile
26. Stile Cladding
27. Exterior Handle
28. Interior Handle
29. Active Panel Locking Stile
30. Stile Weather Strip
31. Mull Base Stile Weather Strip
32. Astragal Weather Strip
33. Astragal
34. Astragal Base
35. Adjustable Hinge
36. Side Jamb Parting Stop - RT2
37. Inactive Panel Locking Stile
38. Jamb RT6
39. Side Jamb Parting Stop - RT6
40. Radiused Glazing Bead

NOTE: Not to scale; specifications subject to change without notice.

When ordering replacement parts specify:

1. type of unit;
2. part number;
3. description.



ILLUSTRATION NOT TO SCALE	DESCRIPTION	COLOR	PART NO.
<p>Interior</p>  <p>Exterior</p>	<p><b>Handle Assembly, Active Panel</b>  <i>Includes:</i>                      1 - Interior lever (A) with spindle, escutcheon plate and hardware                      1 - Exterior lever (B) with escutcheon plate and hardware                      1 - Thumb turn (C) with hardware                      1 - Keyed cylinder (D) with housing and hardware                      1 - Exterior escutcheon plate gasket (E)                      1 - Exterior escutcheon plate (F)                      1 - Two piece spindle (G)                      2 - #10-32 x 2 5/8" Phillips oval head machine screws (H)                      1 - Interior escutcheon plate (I)                      2 - Keys</p>	<p>Satin Taupe                      Antique Brass                      Satin Chrome                      White                      Oil Rubbed Bronze                      Oil Rubbed Bronze PVD                      Brass PVD                      Satin Nickel PVD                      Dark Bronze                      Matte Black</p>	<p>21448114                      21448116                      21448112                      21448119                      21448111                      21448118                      21448160                      21448110                      21448120                      21448131</p>
<p>Interior</p>  <p>Exterior</p>	<p><b>Handle Assembly, Inactive</b>  <i>Includes:</i>                      1 - Interior lever (A) with spindle, escutcheon plate and hardware                      1 - Exterior lever (B) with escutcheon plate and hardware                      1 - Exterior escutcheon plate gasket (C)                      1 - Exterior escutcheon plate (D)                      1 - Two piece spindle (E)                      2 - #10-32 x 2 5/8" Phillips oval head machine screws (F)                      1 - Interior escutcheon plate (G)</p>	<p>Satin Taupe                      Antique Brass                      Satin Chrome                      White                      Oil Rubbed Bronze                      Oil Rubbed Bronze PVD                      Brass PVD                      Satin Nickel PVD                      Dark Bronze                      Matte Black</p>	<p>21448151                      21448147                      21448153                      21448150                      21448154                      21448145                      21448161                      21448133                      21448162                      21448163</p>

ILLUSTRATION NOT TO SCALE	DESCRIPTION	COLOR	PART NO.
	<b>Lug seals</b>		00142046
	<b>#10-32 x 2 5/8" Phillips ovalhead machine screws</b> (2 1/4 inch Door)	Satin Taupe Antique Brass Satin Chrome White Oil Rubbed Bronze Oil Rubbed Bronze PVD Brass PVD Satin Nickel PVD Dark Bronze Matte Black	11800156 11800150 11800151 11800157 11800153 11800159 11800155 11800154 11800169 11800179
	<b>Key Cylinder, Lock</b> (Schlage "C" keyway) For service replacement only. <i>NOTE: For Keyed Alike orders, use program C87P2.</i>  <i>BS, ORBZ PVD, TP, WH, AB=Brass Face</i> <i>All other Marvin finishes=Chrome Face</i>	Brass Chrome	10830212 10830209
	<b>3/4" Spindle Extension Kit (Ashland and Truth)</b> <i>Includes:</i> 1 - 2-piece spindle, 5 1/16" 2 - Set screws		18900393
	<b>2 1/4 inch Swinging Handle Set Kit – Interior Shades</b> <i>Includes:</i> 1 - 3/4" extension handle 1 - Spindle, lever handle, 2 pc. assembly 1 - Installation instruction	Satin Taupe Antique Brass Satin Chrome White Oil Rubbed Bronze Oil Rubbed Bronze PVD Brass PVD Satin Nickel PVD Dark Bronze Matte Black Polished Chrome	18900659 18900662 18900665 18900660 18900663 18900664 18900661 18900666 18900667 18900689 18900668
	<b>Lever Bushing, Swinging Handle Set – Traditional</b>	Clear Gray Gold Natural Black	02062201 10148448 10148447 02062202 10148020
	<b>Construction Handle</b>		10830451

When ordering replacement parts specify:

1. type of unit;
2. part number;
3. description.



ILLUSTRATION NOT TO SCALE	DESCRIPTION	COLOR	PART NO.
<p>Interior</p>  <p>Exterior</p>	<p><b>Handle Assembly, Active Panel</b>  <i>Includes:</i>                      1 – Interior lever (A) with 10148414 spindle, escutcheon plate and hardware                      1 – Exterior lever (B) with escutcheon plate and hardware                      1 – Thumb turn (C) with hardware                      1 – Keyed cylinder (D) with housing and hardware                      1 – Exterior escutcheon plate gasket (E)                      1 – Exterior escutcheon plate (F)                      1 – Two piece spindle (G)                      2 – M5 x 65mm Phillips ovalhead machine screws (H)                      1 – Interior escutcheon plate (I)                      1 – Thumb turn washer (J)                      1 – Thumb turn push nut (K)                      2 – Keys</p>	<p>Satin Nickel PVD                      Oil Rubbed Bronze PVD                      Dark Bronze                      Matte Black</p>	<p>21448122                      21448123                      21448124                      21448130</p>
<p>Interior</p>  <p>Exterior</p>	<p><b>Handle Assembly, Inactive</b>  <i>Includes:</i>                      1 – Interior lever (A) with 00142006 spindle, escutcheon plate and hardware                      1 – Exterior lever (B) with escutcheon plate and hardware                      1 – Exterior escutcheon plate gasket (C)                      1 – Exterior escutcheon plate (D)                      1 – Two piece spindle (E)                      2 – M5 x 65mm Phillips oval head machine screws (F)                      1 – Interior escutcheon plate (G)</p>	<p>Satin Nickel PVD                      Oil Rubbed Bronze PVD                      Dark Bronze                      Matte Black</p>	<p>21448126                      21448127                      21448128                      21448129</p>










ILLUSTRATION NOT TO SCALE	DESCRIPTION	COLOR	PART NO.
	<b>Gasket Post</b>		10148404
	<b>Gasket – Top Backplate</b>		10148405
	<b>M5 x 65mm Phillips ovalhead machine screw</b>	Oil Rubbed Bronze PVD Satin Nickel PVD Dark Bronze Matte Black	10148456 10148457 10148455 11800694
	<b>Spindle Kit (HOPPE)</b> Includes: 1 – 2 piece. spindle, 5 1/8” 2 – Set screws		10148458
	<b>3/4" Spindle Extension Kit (HOPPE)</b> Includes: 1 – 2 piece. spindle, 5 3/32” 2 – Set screws		10148459
	<b>Key Cylinder, Lock</b> (Schlage “C” keyway) For service replacement only. <i>NOTE: For Keyed Alike orders, use program C87P2.</i>  <i>BS, ORBZ PVD, TP, WH, AB=Brass Face</i> <i>All other Marvin finishes=Chrome Face</i>	Brass Face Chrome Face	10830212 10830209
	<b>3/4" Handle Extension</b> Requires 3/4" Spindle Extension	Oil Rubbed Bronze PVD Satin Nickel PVD Dark Bronze Matte Black	10148421 10148422 10148420 10148445
	<b>Swinging Handle Set Kit, 2 1/4inch Interior Shades</b> Includes: 1 – 3/4" extension handle 1 – Spindle, lever handle, 2 pc. assembly 1 – Installation instruction	Oil Rubbed Bronze PVD Satin Nickel PVD Dark Bronze Matte Black	21448106 21448107 21448105 21448108
	<b>Lever Bushing, Swinging Handle Set – Contemporary</b>	Gray Natural Black	10148448 02062202 10148020
	<b>Spring Cartridge, Swinging Handle Set – Contemporary</b>		10830452











ILLUSTRATION NOT TO SCALE	DESCRIPTION	COLOR	PART NO.
	<p><b>Locking Rod Assembly, Top Multi-Point Lock</b> Inswing and Outswing</p> <p><b>Height</b>            <b>Top Locking Rod Length</b></p> <p>CN 8-0 ht            51 7/16"</p> <p>CN10-0 ht            75 7/16"</p>	Stainless Steel	05700179 05700196
	<p><b>Locking Rod Assembly, Bottom Multi-Point Lock</b> Inswing only</p> <p><b>Height</b>            <b>Bottom Locking Rod Length</b></p> <p>CN 8-0 ht            34 9/32"</p> <p>CN10-0 ht            34 9/32"</p>	Stainless Steel	05700170
	<p><b>Locking Rod Assembly, Bottom for Multi-Point Lock</b> Outswing only Solid stainless steel rod with 1/4" – 20 threads Bottom Locking Rod Length – 34 3/4"</p>	Stainless Steel	10815179
	<p><b>Head Jamb/ Sill Strike Plate</b> <i>Inswing French Door: head jamb and sill</i> <i>Outswing French Door: head jamb</i></p>		05700082
	<p><b>#10 x 3" Phillips Flat Head Screws</b> <i>For Head Jamb Strike Plate at installation.</i></p>	Stainless Steel	02056011
	<p><b>Head Strike</b> RT2 one wide <i>Includes:</i> 1 – Strike 2 – #10 x 3" Phillips flat head screws (02056011)</p>		05700319
	<p><b>Shoot Bolt, Beveled</b> RT2 one wide</p>		10815101
	<p><b>4 1/2" x 4 1/2" Hinge Shim</b></p>		18900502












ILLUSTRATION NOT TO SCALE	DESCRIPTION	COLOR	PART NO.
	<b>Shoot Bolt Assembly, IZ4</b> <i>Includes:</i> 1 - Spacer 1 - Hex Nut 1 - Shoot Bolt 1 - Lock Rod		18900450
	<b>Header Reinforcement Bracket</b> <i>Outswing</i> <i>Usage: 8/31/2009 - present</i>	Stainless Steel	11100249
	<b>#8x1" Phillips Flat Head Screw</b> <i>For Header Reinforcement Bracket</i>	Stainless Steel	11800645
	<b>Sill Strike Backer Plate</b> <i>Outswing</i>		10148006
	<b>Stile End Plate</b>	LH RH	10148008 10148007
	<b>Sill Strike, IZ3</b> <i>Outswing</i>		10148005



ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<b>Sill Strike Backer Plate</b> <i>Inswing</i>		10148009
	<b>Strike Plate, Jamb and Inactive Panel – Mortise Lock or Multi-Point Lock</b> <b>5/10/99 – Present (Amerock)</b> <i>Inswing</i> <i>Includes:</i> 1 – Jamb strike plate 2 – #8x1” Brass Phillips flathead wood screws*  <b>Strike Plate, Inactive Panel – Mortise Lock or Multi-Point Lock</b> <b>5/10/99 – Present (Amerock)</b> <i>Inswing</i> <i>Includes:</i> 1 – Jamb strike plate 2 – #8x1” Brass Phillips flathead wood screws*	Stainless Steel Antique Brass Oil Rubbed Bronze PVD Brass PVD	05700300 05700301 05700302 10148177
	<b>Strike Plate, Jamb – Mortise Lock or Multi-Point Lock*</b> <i>Outswing</i> <i>Includes:</i> 1 – Jamb strike plate 2 – #8x1” Brass Phillips flathead wood screws	Stainless Steel Antique Brass Oil Rubbed Bronze PVD Brass PVD	05700309 05700310 05700311 10148182
	<b>Strike Plate, Panel – Mortise Lock or Multi-Point Lock*</b> <i>Outswing</i> <i>Includes:</i> 1 – Jamb strike plate 2 – #8x1” Brass Phillips flathead wood screws	Stainless Steel Antique Brass Oil Rubbed Bronze PVD Brass PVD	05700312 05700313 05700314 10148183
	<b>Cover Plate, Active Mortise Lock or Multi-Point Lock*</b> <i>Includes:</i> 1 – Cover plate 2 – #8x1” Phillips flathead wood screws	Stainless Steel Antique Brass Oil Rubbed Bronze PVD Brass PVD	05700306 05700307 05700308 10148179

\* Stainless Steel – 11800645, Dark Bronze – 11800652, PVD Brass – 11800536

NOTE: Dark Bronze screws are used with Antique Brass and Oil Rubbed Bronze PVD

**ILLUSTRATION**  
*NOT TO SCALE*


**Note: Always view units from the exterior for handing. H = Hinge location.**



*This panel uses the left hand hinge*










*This panel uses the right hand hinge*

ILLUSTRATION <i>NOT TO SCALE</i>	DESCRIPTION	HINGE COLOR	LEFT PART NO.	RIGHT PART NO.
<b>Hinge Kit, Adjustable</b> <i>Includes:</i> 1 - Adjustable hinge 1 - #10x2 1/2" Phillips flathead wood screws (jamb) 5 - #10x3/4" Phillips flathead wood screws (jamb, stationary stile) 4 - #8x1 1/2" Phillips flathead wood screws (panel)		Satin Taupe (TP)	02101216	02101227
		Goldtone (GT)	02101213	02101224
		Silver Frost (SF)	02101218	02101229
		Dark Bronze (DKBZ)	02101217	02101228
		Antique Brass (AB)	02101210	02101221
		White (WH)	02101214	02101225
		Satin Chrome (SC)	02101212	02101223
		Oil Rubbed Bronze (ORBZ)	02101219	02101230
		Oil Rubbed Bronze (ORBZ) PVD	02101211	02101222
		Brass (BS) PVD	02101215	02101226
		Satin Nickel (SN) PVD	02101220	02101231
	Polished Chrome (PC)	02101234	02101235	
	Matte Black (MBK)	02101236	02101237	
SCREW DESCRIPTION	SCREW PART NO./COLOR	MATCHING HINGE COLOR		
#8x1 1/2" Phillips flathead wood screws (panel). Quantity of four needed per hinge.	11865177	TP	TP	
	11865172	GT	GT	
	11865173	WH	WH	
	02058013	DKBZ	AB, ORBZ PVD, DKBZ, ORBZ	
	11865176	BS PVD	BS PVD,	
	11865175	Stainless Steel	SC, SF, SN PVD, PC	
11865178	MBK	MBK		
#10x 3/4" Phillips flathead wood screws (jamb) (stationary stile). Quantity of five needed per hinge.	11800674	TP	TP	
	11800670	GT	GT	
	11800671	WH	WH	
	11800669	DKBZ	AB, ORBZ PVD, DKBZ, ORBZ	
	11800673	BS PVD	BS PVD,	
	11800672	Chrome	SC, SF, SN PVD, PC	
11800677	MBK	MBK		
#10x2 1/2" Phillips flathead wood screws (jamb). Quantity of one needed per hinge.  <i>NOTE: Part numbers for these screws are sold in packages of 4 screws and includes 1-5/32" Allen wrench.</i>	11800653	TP	TP	
	11800632	GT	GT	
	11800637	WH	WH	
	11800644	DKBZ	AB, ORBZ PVD, DKBZ, ORBZ	
	10148185	BS PVD	BS PVD,	
	11800639	Stainless Steel	SC, SF, SN PVD, PC	
	11800696	MBK	MBK	

ILLUSTRATION <i>NOT TO SCALE</i>	DESCRIPTION	COLOR	PART NO.
	<b>Hinge , 4 1/2" X 4 1/2" Ball Bearing</b> <i>Includes:</i> 1 - Hinge 6 - #12x1" Phillips flat head wood screws 2 - #12x2 1/2" Phillips flat head screws  NOTE: Hinge part number includes the color matched screws. If you need to order the screws separately, use the individual screw part number noted in the charts below.	Stainless Steel Satin Chrome / Brass Bronze / Brass Brass	02100162 02101166 02101167 02101165
		Steel Hinge Available for Inswing Doors Only  Satin Chrome / Steel Bronze / Steel	02101163 02101164

Screw Description	For Hinge	Color	Part No.
#12x1" Phillips flat head wood screws  (SC=US26D) (BZ=US10A) (BS=US3) (SS=US32D)	Stainless Steel Satin Chrome / Steel Satin Chrome / Brass	Stainless Steel	02056069
	Bronze / Steel Bronze / Brass	Dark Bronze	02056010
	Brass	Brass	02056068

Screw Description	For Hinge	Color	Part No.
#12x2 1/2" Phillips flat head screws  (SC=US26D) (BZ=US10A) (BS=US3) (SS=US32D)	Stainless Steel Satin Chrome / Steel Satin Chrome / Brass	Stainless Steel	02010311
	Bronze / Steel Bronze / Brass	Dark Bronze	02056067
	Brass	Brass	02010310

ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<b>Mortise Lock, Active Multi-Point Lock</b> (latch, dead bolt and head/foot shoot bolts)		05700130
	<b>Mortise Lock, Inactive Panel Multi-Point Lock</b> (head/foot shoot bolts)		05700131
	<b>Shoot Bolt Guide</b> <i>Includes:</i> 1 - Shoot bolt guide (10815186) 1 - #8x1 1/2" Phillips panhead wood screw (11800766)		10815199
	<b>Sill Bolt, Stationary Panel</b> <i>Includes:</i> 2 - #8 x 3" Phillips flathead wood screws (11800830)	Zinc Die Cast	11101856
	<b>Drain Plug, Sill</b> Inswing	Beige Bronze	10500253 10500249
	<b>Head Jamb Spacer Tack; Stationary Panel</b>		11860424
	<b>Jamb Spacer Tack; Stationary Panel</b> 3/4" Diameter Head		11860423
	<b>Mull Casing End Plug, Ultimate</b> <i>(Ultimate Doors Only)</i> Inswing	LH Beige Bronze	10500255 10500267
		RH Beige Bronze	10500254 10500266
	<b>Threshold Protector</b> 30" length Inswing	EA Pkg 20	11869675 11869676

When ordering replacement panels specify:

1. OM of panel;

**NOTE: OM of panel does not include astragal, mull casing or sweep.**

2. active, inactive or stationary;

a. Active – comes prepped for multi–point mortise lock and standard Marvin handle set. If Marvin Architectural Hardware prep is needed, specify brand.

b. Inactive – comes prepped for multi–point lock and standard Marvin handle–set. If Marvin Architectural Hardware prep is needed, specify brand.

c. Stationary – specify configuration and astragal or mull casing (if applicable).

d. Panel style.

3. handing;


4. glazing;

5. finish.

6. glazing bead profile

a. bevel

b. square



### Ultimate or Ultimate Wood Panel

NOTE: Weather strip is included with all panels (where applicable).

**Active panels** include panel sweep and multi–point mortise lock system.

**Inactive panels** include panel sweep, astragal, and multi–point lock system.

**Stationary 1 wide** panels include panel sweep.

When ordering replacement weather strip specify:

1. quantity;
2. length;
3. part number;
4. description.

















ILLUSTRATION NOT TO SCALE	DESCRIPTION	LENGTH	COLOR	PART NUMBER
	<b>Weather Strip, Frame</b> V1707	120" (3048)	Beige Black	11191299 11191399
	<b>Weather Strip, Frame</b> Outswing Arch Top V1732 <i>3-31-2009 to present</i> <i>Replaced V1304</i>	150" 150"	Beige Black	11191499 11191599
	<b>Weather Strip, Frame</b> Outswing Arch Top V1733 <i>3-31-2009 to present</i> <i>Replaced V1304</i>	151" 151"	Beige Black	11191699 11191799
	<b>Dust Block, Part Stop</b>  1 3/8" x 3/8" x 1/2"		Gray Beige	15600010 15600011
	<b>Dust Block, Astragal or Panel</b>  1 3/8" x 1/4" x 3/8"			10500049
	<b>Small Corner Seal</b> Inswing		Beige Black	01040368 01040369
	<b>Flex-Bulb Weather Strip, Sill</b> V794 Inswing	92 3/4" 164 3/4" 164 3/4"	Beige Beige Black	15180780 15180798 15180799
	<b>Offset Bulb Weather Strip, Parting Stop, Frame, Mull Casing, Transom and Astragal</b> V796	41 1/4" 92 7/8" 92 7/8" 164 13/16"	Beige Beige Black Beige	15171136 15170082 15170083 15172140
	<b>Connecting Barb</b> V803 NOTE: Color may vary depending on current stock.	Specify Length L/F		15812999














ILLUSTRATION <i>NOT TO SCALE</i>	DESCRIPTION	LENGTH	COLOR	PART NUMBER
	<b>Inactive Panel Stile Center</b> V780 Inswing	150"	Beige Black	15174099 15174098
	<b>Weather Strip, Sill</b> V1659 Outswing/Arch Top Outswing	35 17/64" 41 17/64" 70 29/64" 82 29/64" 150"	Beige	11197030 11197036 11197060 11197070 11197099
		35 17/64" 70 29/64" 82 29/64" 150"	Black	11197130 11197160 11197170 11197199
	<b>Weather Strip, Stile</b> V020	79 9/16" 92 15/16" 150"	Beige	11197968 11197982 11197999
		150"	Black	11197998
	<b>Sweep, Active and Inactive Panel</b> V2416 Outswing/Arch Top Outswing	70 1/2"	Beige Black	11181870 11181871
	<b>Sweep, Stationary Panel</b> V2427 Outswing/Arch Top Outswing	70 1/2"	Beige Black	11181798 11181799
	<b>Weather Strip, Panel Cover</b> V018 Outswing	150"	Beige Black	11198799 11198999
	<b>Weather Strip, Inactive Panel</b> V1706 Outswing/Arch Top Outswing	121"	Beige Black	15618199 15618299

## TO ORDER REPLACEMENT PARTS

When ordering replacement parts specify:

1. profile number;
2. rough opening;
3. length;
4. handing;
5. finish (where applicable).

	Ultimate Wood	Ultimate
Mull Casing	W8775	W8775
Glazing Cap	W9949	
First Mull Casing and Astragal	W1455	W1455
Head Jamb and Jamb Part Stop – Inswing	W6535	W6535
Astragal Cover and Transom Mull Cover	W7554	W7554
Stationary Sweep Filler	W12495	
Sill Liner (Oak) – Inswing	W8661	
Sill Liner (Oak) – Outswing	W2528	
Part Stop	W10401	
Head Jamb Part Stop	W9983	
Radius Head Jamb Part Stop – Outswing	W9951	W9951



**TO ORDER REPLACEMENT PARTS**


When ordering replacement parts specify:

1. profile number;
2. rough opening;
3. length;
4. handing;
5. finish (where applicable).


	Ultimate Wood	Ultimate
Hydro-Optimizer Reinforcement – Beige or Bronze	A1222	A1222
Hydro-Optimizer – Beige or Bronze	A1251	A1251
Head Jamb, Jamb Parting Stop	---	A836
Astragal Cladding	---	A772
Mullion Casing Base	---	A771
Ultrex Sill, 4 9/16" Jamb – Beige or Bronze	F256	F256
Ultrex Sill, 6 9/16" Jamb – Beige or Bronze	F257	F257
Panel Drip – Beige or Black	V940	V940
Stationary Panel Sill Spacer – Beige or Black	V941	V941




A1222 – Hydro-Optimizer Reinforcement Inswing  
 144"  
 BG – 18548499  
 BZ – 18548399



A1251 – Hydro-Optimizer Inswing




A836 – Head Jamb, Jamb Parting Stop Inswing




A772 – Astragal Cladding Inswing




A771 – Mullion Casing Base Inswing




F256 – Ultrex Sill, 4 9/16" Jamb Inswing



F257 – Ultrex Sill, 6 9/16" Jamb



V940 – Panel Drip Inswing



V941 – Stationary Panel Drip/Sill Spacer Inswing









ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./ COLOR	PART NO.
	<b>Tailpiece, Non-keyed, Button Switch</b>	Stainless Steel	10501844
	<b>Cover, Transmitter</b>	Brushed Stainless Steel	10501822
	<b>#8-18 x 1" Type AB, Full Thread</b> <i>Used for Transmitter Cover</i> <i>Need quantity of 2 for each part</i>		11800769
	<b>Lock Rod, Transmitter Recess, Shoot Bolt, LH</b> <i>Ultimate Inswing French Door 2 1/4inch</i> <i>Ultimate Inswing French Door 2 1/4inch Arch Top</i>	Brushed Stainless Steel	10501838
	<b>Lock Rod, Transmitter Recess, Shoot Bolt, RH</b> <i>Ultimate Inswing French Door 2 1/4inch</i> <i>Ultimate Inswing French Door 2 1/4inch Arch Top</i>	Brushed Stainless Steel	10501841
	<b>Lock Rod, Transmitter Recess, Shoot Bolt at Sill, LH</b> <i>Ultimate Outswing French Door 2 1/4inch</i> <i>Ultimate Outswing French Door 2 1/4inch Arch Top</i>	Brushed Stainless Steel	10501839
	<b>Lock Rod, Transmitter Recess, Shoot Bolt at Sill, RH</b> <i>Ultimate Outswing French Door 2 1/4inch</i> <i>Ultimate Outswing French Door 2 1/4inch Arch Top</i>	Brushed Stainless Steel	10501842
	<b>Micro Switch Assembly</b>	Black	10501824

ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
<p>Interior</p>  <p>Exterior</p>	<p><b>Handle Assembly, Active Panel</b> Includes: 1 - Interior lever (A) with spindle, escutcheon plate and hardware 1 - Exterior lever (B) with escutcheon plate and hardware 1 - Thumb turn (C) with hardware 1 - Keyed cylinder (D) with housing and hardware 1 - Exterior escutcheon plate gasket (E) 1 - Exterior escutcheon plate (F) 1 - Two piece spindle (G) 2 - #10-32 x 2 1/2" Phillips oval head machine screws (H) 1 - Interior Escutcheon plate (I) 2 - Keys</p>	<p>Polished Chrome</p>	<p>21448117</p>
<p>Interior</p>  <p>Exterior</p>	<p><b>Handle Assembly, Inactive</b> Includes: 1 - Interior lever (A) with spindle, escutcheon plate and hardware 1 - Exterior lever (B) with escutcheon plate and hardware 1 - Exterior escutcheon plate gasket (C) 1 - Exterior escutcheon plate (D) 1 - Two piece spindle (E) 2 - #10-32 x 2 1/2" Phillips oval head machine screws (F) 1 - Interior Escutcheon plate (G)</p>	<p>Polished Chrome</p>	<p>21448148</p>

When ordering replacement parts specify:

1. type of unit;
2. part number;
3. description.



<p><b>ILLUSTRATION</b>  <i>NOT TO SCALE</i></p>	<p><b>DESCRIPTION</b></p>	<p><b>COLOR</b></p>	<p><b>PART NO.</b></p>
<p>Interior</p>  <p>Exterior</p>	<p><b>Handle Assembly, Active Panel</b>  <i>Includes:</i>                      1 – Interior lever (A) with 10148414 spindle, escutcheon plate and hardware                      1 – Exterior lever (B) with escutcheon plate and hardware                      1 – Thumb turn (C) with hardware                      1 – Keyed cylinder (D) with housing and hardware                      1 – Exterior escutcheon plate gasket (E)                      1 – Exterior escutcheon plate (F)                      1 – Two piece spindle (G)                      2 – M5 x 65mm Phillips ovalhead machine screws (H)                      1 – Interior escutcheon plate (I)                      1 – Thumb turn washer (J)                      1 – Thumb turn push nut (K)                      2 – Keys</p>	<p>Satin Taupe</p>	<p>21448121</p>
<p>Interior</p>  <p>Exterior</p>	<p><b>Handle Assembly, Inactive</b>  <i>Includes:</i>                      1 – Interior lever (A) with 00142006 spindle, escutcheon plate and hardware                      1 – Exterior lever (B) with escutcheon plate and hardware                      1 – Exterior escutcheon plate gasket (C)                      1 – Exterior escutcheon plate (D)                      1 – Two piece spindle (E)                      2 – M5 x 65mm Phillips ovalhead machine screws (F)                      1 – Interior escutcheon plate (G)</p>	<p>Satin Taupe</p>	<p>21448125</p>




ILLUSTRATION NOT TO SCALE	DESCRIPTION	COLOR	PART NO.
	<b>M5 x 65mm Phillips ovalhead machine screw</b>	Satin Taupe	10148454
	<b>3/4" Handle Extension</b> Requires 3/4" Spindle Extension	Satin Taupe	10148419
	<b>Swinging Handle Set Kit, 2 1/4inch Interior Shades</b> Includes: 1 – 3/4" extension handle 1 – Spindle, lever handle, 2 pc. assembly 1 – Installation instruction	Satin Taupe	21448104







ILLUSTRATION NOT TO SCALE	DESCRIPTION	COLOR	PART NO.
	<b>Shim, Head Jamb Strike</b> <i>Usage: Prior to 8/31/2009</i> OUOFD2.25 only		11100251
 <p><i>NOTE: A2408 Panel drip is available in the Miscellaneous Moulding chapter by individual part number.</i></p> <p><i>Ultimate Outswing French Door 2 1/4inch: Panel drip and screws will match standard exterior color. For custom colors, screws will be stainless steel.</i></p> <p><i>Ultimate Wood Outswing French Door 2 1/4inch : Panel Drip defaults to match sill color.</i></p>	<b>Pkg, Panel Drip – WOFD</b> July 30, 2012 – July 6, 2015 A2408 Panel Drip Foam Tape #6 x 1 1/4" flat head screws	1-6 Beige 2-0 Beige 2-6 Beige 2-8 Beige 3-0 Beige  1-6 Bronze 2-0 Bronze 2-6 Bronze 2-8 Bronze 3-0 Bronze	11100277 11100278 11100279 11100280 11100281  11100287 11100288 11100289 11100290 11100291



ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<b>4 1/2" x 4 1/2" Hinge Shim</b> <b>Ultimate Frame</b>	No longer available (replace with current)	
	<b>Stop clip with screws</b>	No longer available	
	<b>Header Reinforcement Bracket</b> <i>Usage: Prior to 8/31/2009</i>	No longer available. Replace with current Header Reinforcement Bracket	
	<b>Header Reinforcement Plate, IZ4</b> <i>Usage: Prior to 8/31/2009</i>		

When ordering replacement weather strip specify:

1. quantity;
2. length;
3. part number;
4. description.







ILLUSTRATION NOT TO SCALE	DESCRIPTION	LENGTH/CN	COLOR	PART NUMBER
	<b>Weather Strip, Sill</b> Pre 3-30-2009 V776 Outswing	87 11/16" 164 7/8" 164 7/8"	Beige Beige Black	11197276 11197296 11197297
	<b>Sweep, Active and Inactive Panel</b> Pre 3-30-2009 V779 Outswing	CN 2/0 CN 2/6 CN 2/8 CN 3/0 CN 3/0 CN 3/6 CN 3/6	Beige Beige Beige Beige Black Beige Black	11197420 11197426 11197428 11197430 NA 11197436 11197437
	<b>Sweep, Stationary Panel</b> Pre 3-30-2009 V778 Outswing	CN 3/0 CN 3/0 CN 3/6 150" 150"	Beige Black Beige Beige Black	11197330 11197331 11197336 11197399 11197398
	<b>Sweep, Active and Inactive Panel</b> Pre 6-03-2015 V1713 Outswing/Arch Top Outswing	CN 2/6 CN 2/6 CN 3/0 CN 3/0 CN 3/6 CN 3/6	Beige Black Beige Black Beige Black	11181126 11181226 11181130 11181230 11181136 11181236
	<b>Sweep, Stationary Panel</b> V1657 Pre 6-03-2015 Outswing/Arch Top Outswing	150"	Beige Black	11181399 11181499


ILLUSTRATION <i>NOT TO SCALE</i>	DESCRIPTION	LENGTH	COLOR	PART NUMBER
	<b>Weather Strip, Frame</b> Pre 3-30-2009 V1304 Arch Top		Beige Black	No longer available

**TO ORDER REPLACEMENT PARTS**


When ordering replacement parts specify:

1. profile number;
2. rough opening;
3. length;
4. handing;
5. finish (where applicable).

	Ultimate Wood	Ultimate
Jamb Stop	W8715	W8715
Glazing Cap	W4019	
Panel Drip (Active and Stationary Panels)	A2408	A2408



W8715 – Stop, Jamb



W4019 – Glazing Cap



A2408 – Panel Drip Outswing