

**ULTIMATE WOOD INSWING FRENCH DOOR ARCH TOP  
 ULTIMATE WOOD OUTSWING FRENCH DOOR ARCH TOP  
 ULTIMATE INSWING FRENCH DOOR ARCH TOP  
 ULTIMATE OUTSWING FRENCH DOOR ARCH TOP**

**Table of Contents**

	<b>PAGE</b>
History .....	2
Part Identification – Ultimate Wood Inswing French Door Arch Top .....	4
Part Identification – Ultimate Wood Outswing French Door Arch Top .....	5
Part Identification – Ultimate Inswing French Door Arch Top .....	6
Part Identification – Ultimate Outswing French Door Arch Top .....	7
Parts – Traditional Handle .....	8
Parts – Contemporary Handle .....	11
Parts .....	13
Replacement Wood Parts .....	20
Replacement Vinyl, Aluminum and Fiberglass Parts .....	21
Weather Strip .....	22
Panel Replacement .....	24
Combination Door Vinyl and Wood Replacement Parts .....	25
Parts for Lock Status Sensor .....	26
Discontinued Parts .....	27
Discontinued Wood Parts .....	35
Discontinued Vinyl, Aluminum and Fiberglass Parts .....	36
Discontinued Weather Strip .....	37
Discontinued Inswing Combination Door Parts .....	38
Screens – See Door Screen Chapter	


**ATTENTION:**

- Specification and technical data are subject to change without notice.
- Numbers listed in parentheses ( ) are metric equivalents in millimeters rounded to the nearest whole number.

Produced	Unit Type	Features or Changes	Status
1991	Ultimate Wood Inswing and Outswing French Door Arch Top	Unit features 3/4" interior glazed insulating glass, 4 9/16" jambs, multi-point hardware with solid brass handles and hinges, beige Lexan sill and beige external component parts. One panel doors feature 32 3/32" frame radius, two panel doors feature 63 5/8" frame radius. Units available in CN 6-8, CN 7-0 and CN 8-0 heights. All bottom rails 8 1/8". Pine interior trim and plinth blocks standard.  Inswing unit features 4 9/16" or 6 9/16" one piece frame (extended to the exterior).	Present
Late 1991		Exterior factory finish available.	1996
1991	Ultimate Wood Inswing French Door Arch Top	Combination introduced featuring interchangeable screen and storm inserts and complete brass hardware.	2000
1992	Ultimate Wood Inswing and Outswing French Door Arch Top	Simulated divided lite option introduced.	Present
1993	Ultimate Wood Inswing and Outswing French Door Arch Top	Optional oak interior trim and plinth blocks introduced.	Present
1994	Ultimate Wood Inswing and Outswing French Door Arch Top	Beige Lexan sill changed to beige composite sill.	2000
2000	Ultimate Wood Inswing and Outswing French Door Arch Top	9-25-00 Redesign to match current rectangle Inswing and Outswing door designs.	Present
2000	Ultimate Wood Inswing French Door Arch Top	Combination redesign.	2004
2002	Ultimate Wood Inswing French Door Arch Top	8/0 height decreases by 2 1/2 inches.	Present
2003	Ultimate Wood Inswing and Outswing French Door Arch Top	3/31/03 Satin Taupe (TP) hardware replaces Brass as standard hardware. Standard door now includes hardware (no lock, no bore now an option)	Present
2003	Ultimate Wood Inswing and Outswing French Door Arch Top	3/31/03 Strikes for Satin Taupe, Brushed Chrome, Polished Chrome and White are Stainless Steel.	Present
2003	Ultimate Inswing and Outswing French Door Arch Top	7/03 Ultimate French Door Arch Top introduced. Change in Rough Opening radius for one panel doors to 40 1/2" and for two panel doors to 72 1/2".	Present
2003	Ultimate Inswing and Outswing French Door Arch Top	Added radius SDL.	Present
2004	All	1/04 Added Oiled Rubbed Bronze and Satin Chrome to available hardware finishes.	Present
2004	All	4/12/04 Satin Nickel hardware finish introduced.	Present
2004	All	Polished chrome finish hardware is retired.	Present
2005	All	Arch Top Doors become Ultimate Arch Top Doors. Inswing sills upgraded for water infiltration introduced optional bronze ultrex sill with black weatherstrip.	Present
2005	All	6/15/05 Changed jamb leaf on adjustable hinge to closed knuckle design.	Present
2005	All	6/27/05 Introduced Brass PVD and Satin Nickel PVD finishes to French door handles, adjustable hinges, and other miscellaneous parts.	Present
2007	All	2/20/07 Introduced raised and flat panels as a standard option for Marvin French Doors and Commercial Doors.  Introduced new Ultimate Swinging Screen along with an optional Storm Plus Insert.	Present
2009	All	3/23/2009 Added LoE <sup>3</sup> -366™ as a standard option for all products. Added Cedro Macho as a standard option for all clad products.	Present


Produced	Unit Type	Features Or Changes	Status
2011	Ultimate Inswing and Outswing French Door Arch Top	04/25/2011 Added LoE-180™ as a standard option for all products. White painted interior finish option introduced for all products.	Present
2012	All	7/30/2012 Stave Core added to our description for current finger joint/edge glue construction of door panels. Updated adjustable hinge. 10/29/2012 Interior Square Sticking/Glazing Bead option introduced. 12/17/2012 Introduced Clear Interior Finish option on all products.	Present
2013	All	4/29/2013 – Introduced interior stain options. Stain colors are Wheat, Honey, Leather, Hazelnut, Cabernet and Espresso.  12/16/2013 – Added SN PVD Butt Hinge option.	Present
2014	All	2/24/2014 – Introduced two Pearlescent clad colors – Bright Silver and Copper. Discontinued two clad colors – Sherwood Green and Cobalt Blue. Removed screen information and added new chapter for screen to manual.	Present
2014	All	10/27/2014 – Introduced Ogee as the new default for interior profiles.	Present
2016	All	06/27/2016 Introduced Matte Black as a standard hardware color 10/31/2016 Introduced 9-0 Call No heights 10/31/2016 Obsolescence of the wood species Cedro Macho for all products.	Present
2017	Ultimate Inswing and Outswing French Door Arch Top	12/18/2017 Added availability of Lock Status Sensor.	Present

**Ultimate Wood Inswing French Door Arch Top  
XX L or R**



1. Head Jamb Brick Mould Casing
2. Head Jamb Parting Stop
3. Head Jamb
4. Head Jamb Weather Strip
5. Head Jamb Parting Stop Weather Strip
6. Top Rail
7. Insulated Glass
8. Top Rail Glazing Bead
9. Glazing Bead Cap
10. Vinyl Glazing Bead
11. Bottom Rail
12. Panel Drip
13. Hydro Optimizer
14. Sill
15. Sill Weather strip
16. Sill Liner
17. Side Jamb Brick Mould Casing
18. Side Jamb
19. Adjustable Hinge
20. Stile
21. Interior Handle Assembly
22. Exterior Handle Assembly
23. Active Panel Locking Stile
24. Inactive Panel Locking Stile
25. Astragal Weather Strip
26. Stile Weather Strip
27. Astragal
28. Astragal Cover
29. Side Jamb Weather Strip
30. Side Jamb Parting Stop Weather Strip
31. Side Jamb Parting Stop


**Head Jamb  
and Sill**



**Jamb - XX L**


NOTE: Not to scale; specifications subject to change without notice.

**Ultimate Wood Outswing French Door Arch Top  
XX L or R**



**Head Jamb  
and Sill**


- 1. Head Jamb Brick Mould Casing
- 2. Frame Weather Strip
- 3. Head Jamb Stop Weather Strip
- 4. Head Jamb
- 5. Head Jamb Stop
- 6. Top Rail
- 7. Top Rail Glazing Bead
- 8. Vinyl Glazing Bead
- 9. Glazing Bead Cap
- 10. Bottom Rail
- 11. Sill Weather Strip
- 12. Sill Liner
- 13. Sill
- 14. Sweep
- 15. Insulating Glass
- 16. Top Rail
- 17. Panel Cover Weather Strip
- 18. Side Jamb Brick Mould Casing
- 19. Side Jamb
- 20. Connecting Barb
- 21. Side Jamb Parting Stop
- 22. Inactive Panel Locking Stile
- 23. Interior Handle Assembly
- 24. Astragal Base
- 25. Astragal Cover
- 26. Astragal Weather Strip
- 27. Side Jamb parting Stop Weather Strip
- 28. Adjustable Hinge
- 29. Exterior Handle Assembly
- 30. Stile Weather Strip
- 31. Active Panel Locking Stile



**Jamb – XX L**


NOTE: Not to scale; specifications subject to change without notice.

**Ultimate Inswing French Door Arch Top  
XX L or R**



1. Head Jamb Cladding
2. Head Jamb Nailing Fin/Drip Cap
3. Head Jamb
4. Head Jamb Weather Strip
5. Head Jamb Stop
6. Head Jamb Stop Weather Strip
7. Top Rail Cladding
8. Insulated Glass
9. Top Rail
10. Top Rail Glazing Bead
11. Glazing Bead Cap
12. Vinyl Glazing Bead
13. Bottom Rail Cladding
14. Bottom Rail
15. Panel Drip
16. Hydro Optimizer
17. Sill
18. Sill Weather Strip
19. Sill Liner


**Head Jamb  
and Sill**



**Jamb - XX L**


NOTE: Not to scale; specifications subject to change without notice.

**Ultimate Outswing French Door Arch Top  
XX L or R**



1. Head Jamb Nailing Fin/Drip Cap
2. Frame Weather Strip
3. Head Jamb Weather Strip
4. Jamb
5. Head Jamb Parting Stop
6. Top Rail
7. Top Rail Glazing Bead
8. Vinyl Glazing Bead
9. Glazing Bead Cap
10. Bottom Rail
11. Sill Weather Strip
12. Sill Cover
13. Sill Liner
14. Sill
15. Sweep
16. Bottom Rail Cladding
17. Insulating Glass
18. Top Rail Cladding
19. Panel Cover Weatherstrip
20. Head Jamb Cladding

**Head Jamb  
and Sill**



**Jamb – XX L**






NOTE: Not to scale; specifications subject to change without notice.

When ordering replacement Ultimate Arch Top French Door parts specify:

1. type of unit; part number; description


<b>ILLUSTRATIONS</b> (not to scale)		
	<p><b>Active Panel</b></p> <p><b>Inactive/Dummy</b></p>	
<p><b>Handle Assembly, Active Panel</b>  <b>Mortise lock and Multi-point lock systems</b>            (Schlage "C" keyway)  <b>Includes:</b>            1 – Interior lever (A) with 00142006 spindle, escutcheon plate and hardware            1 – Exterior lever (B) with escutcheon plate and hardware            1 – Thumb turn (C) with hardware            1 – Keyed cylinder (D) with housing and hardware            1 – Exterior escutcheon plate gasket (E)            1 – Exterior escutcheon plate (F)            1 – Two piece spindle (G)            2 – #10–32 x 2 1/8" Phillips ovalhead machine screws (H)            1 – Interior escutcheon plate (I)            1 – Thumb turn washer (J)            1 – Thumb turn push nut (K)            2 – Keys</p>	<p>Satin Taupe 10830304            Antique Brass 10830306            White 10830310            Satin Chrome 10830302            Oil Rubbed Bronze 10148111            Oil Rubbed Bronze PVD 10830300            Brass PVD 10830324            Satin Nickel PVD 10830421            Dark Bronze 10830330            Polished Chrome 10830308            Matte Black 10830450</p>	
<p><b>Thumb Turn, Traditional (no tail piece), (C)</b>  <b>Includes:</b> Thumb turn washer and thumb turn push nut.</p>	<p>Satin Taupe 10148486            Antique Brass 10148483            White 10148489            Satin Chrome 10148482            Oil Rubbed Bronze 10148481            Oil Rubbed Bronze PVD 10148485            Brass PVD 10148484            Satin Nickel PVD 10148487            Dark Bronze 10148479            Polished Chrome 10148488            Matte Black 10148480</p>	
<p><b>Handle Assembly, Inactive/Dummy</b>  <b>Includes:</b>            1 – Interior lever (A) with 00142006 spindle, escutcheon plate and hardware            1 – Exterior lever (B) with escutcheon plate and hardware            1 – Exterior escutcheon plate gasket (C)            1 – Exterior escutcheon plate (D)            1 – Two piece spindle (E)            2 – #10–32 x 2 1/8" Phillips ovalhead machine screws (F)            1 – Interior escutcheon plate (G)</p>	<p>Satin Taupe 10830318            Antique Brass 10830312            White 10830316            Satin Chrome 10830320            Oil Rubbed Bronze 10148154            Oil Rubbed Bronze PVD 10830322            Brass PVD 10830326            Satin Nickel PVD 10830422            Dark Bronze 10830328            Polished Chrome 10830314            Matte Black 10148157</p>	



ILLUSTRATION <i>NOT TO SCALE</i>	DESCRIPTION	LENGTH/COLOR	PART NO.
	<b>Lug seals</b> <i>9/25/00 – Present</i>		00142046
	<b>Lever Bushing, Swinging Handle Set – Traditional</b>	Clear Gray Gold Natural Black	02062201 10148448 10148447 02062202 10148020
	<b>#10–32 x 2 1/8" Phillips ovalhead machine screw</b> <i>9/25/00 – Present</i>	Satin Taupe Antique Brass White Satin Chrome Oil Rubbed Bronze Oil Rubbed Bronze PVD Brass PVD Satin Nickel PVD Dark Bronze Matte Black	11800616 00143038 00143036 10840031 10840032 11800160 11800615 11800190 11800654 11800181
	<b>Key Cylinder, Lock</b> <i>9/25/00 – Present</i> (Schlage "C" keyway) For service replacement only. <i>NOTE: For Keyed Alike orders, use program C87P2.</i>  <i>BS, Oil Rubbed Bronze PVD, TP, WH, AB=Brass Face</i> <i>All other Marvin finishes=Chrome Face</i>	Brass Face Chrome Face	10830211 10830208
	<b>3/4" Handle Extension</b> Requires 3/4" Spindle Extension	Satin Taupe Antique Brass White Satin Chrome Oil Rubbed Bronze Oil Rubbed Bronze PVD Brass PVD Satin Nickel PVD Dark Bronze Matte Black Polished Chrome	10833060 10833057 10833063 10833056 10833038 10833059 10833058 10148422 10833054 10833055 10833062
	<b>3/8" Handle Extension</b> Requires 3/8" Spindle Extension	Satin Taupe Antique Brass White Satin Chrome Oil Rubbed Bronze Oil Rubbed Bronze PVD Brass PVD Satin Nickel PVD Dark Bronze Matte Black Polished Chrome	10833049 10833046 10833052 10833045 10833044 10833048 10833047 10833050 10833042 10833043 10833051

\* Stainless Steel – 11800645, Dark Bronze – 11800652, PVD Brass – 11800536


NOTE: Dark Bronze screws are used with Antique Brass and Oil Rubbed Bronze PVD

ILLUSTRATION NOT TO SCALE	DESCRIPTION	LENGTH/ COLOR	PART NO.
	<p><b>Spindle Kit (Ashland and Truth)</b>  <i>Includes:</i>                      1 – 2-piece spindle, 4 3/8"                      2 – Set screws</p>		18900392
	<p><b>3/4" Spindle Extension Kit (Ashland and Truth)</b>  <i>Includes:</i>                      1 – 2-piece spindle, 5 1/16"                      2 – Set screws</p> <p><i>NOTE: Primarily used for 2 1/4" Doors, also Used for 1 3/4" doors with 3/4" lever extension.</i></p>		18900393

When ordering replacement parts specify:

1. type of unit;
2. part number;
3. description.

**ILLUSTRATIONS** (not to scale)



**Handle Assembly, Active Panel**

**Mortise lock and Multi-point lock systems**

(Schlage "C" keyway)

Includes:

- 1 – Interior lever (A) with 10148414 spindle, escutcheon plate and hardware
- 1 – Exterior lever (B) with escutcheon plate and hardware
- 1 – Thumb turn (C) with hardware
- 1 – Keyed cylinder (D) with housing and hardware
- 1 – Exterior escutcheon plate gasket (E)
- 1 – Exterior escutcheon plate (F)
- 1 – Two piece spindle (G)
- 2 – M5 x 55mm Phillips ovalhead machine screws (H)
- 1 – Interior escutcheon plate (I)
- 1 – Thumb turn washer (J)
- 1 – Thumb turn push nut (K)
- 2 – Keys

- Oil Rubbed Bronze PVD
- Satin Nickel PVD
- Dark Bronze
- Matte Black

- 11102151
- 11102152
- 11102156
- 11102192

**Handle Assembly, Inactive/Dummy**

Includes:

- 1 – Interior lever (A) with 00142006 spindle, escutcheon plate and hardware
- 1 – Exterior lever (B) with escutcheon plate and hardware
- 1 – Exterior escutcheon plate gasket (C)
- 1 – Exterior escutcheon plate (D)
- 1 – Two piece spindle (E)
- 2 – M5 x 55mm Phillips ovalhead machine screws (F)
- 1 – Interior escutcheon plate (G)

- Oil Rubbed Bronze PVD
- Satin Nickel PVD
- Dark Bronze
- Matte Black

- 11102154
- 11102155
- 11102157
- 11102193

**Thumb Turn (C)**

NOTE: For each thumb turn, order one thumb turn washer –10148423(J) and one thumb turn push nut 10148424(K).

- Oil Rubbed Bronze PVD
- Satin Nickel PVD
- Dark Bronze

- 10148428
- 10148427
- 10148426








ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<b>Gasket Post</b>		10148404
	<b>Gasket – Top Backplate</b>		10148405
	<b>M5 x 55mm Phillips ovalhead machine screw</b>	Satin Taupe Oil Rubbed Bronze PVD Satin Nickel PVD Dark Bronze Matte Black	10148400 10148402 10148403 10148401 10148440
	<b>Key Cylinder, Lock</b> (Schlage “C” keyway) For service replacement only. <i>NOTE: For Keyed Alike orders, use program C87P2.</i>  <i>BS, Oil Rubbed Bronze PVD, TP, WH, AB=Brass Face All other Marvin finishes=Chrome Face</i>	Brass Face Chrome Face	10830211 10830208
	<b>Spindle Kit (HOPPE)</b> <i>Includes:</i> 1 – 2-piece spindle, 4 3/4” 2 – Set screws		10148414
	<b>3/4” Spindle Extension (HOPPE)</b> <i>Includes:</i> 1 – 2-piece spindle, 5 1/2” 2 – Set screws		10148415
	<b>Lever Bushing, Swinging Handle Set – Contemporary</b>	Gray Natural Black	10148448 02062202 10148020
	<b>3/4” Handle Extension</b> Requires 3/4” Spindle Extension	Satin Taupe Oil Rubbed Bronze PVD Satin Nickel PVD Dark Bronze	10148419 10148421 10148422 10148420













ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<p><b>Construction Handle</b></p>		<p>10830451</p>
	<p><b>Mortise Lock, Active Single Point</b> (latch and dead bolt only) <i>9/25/00 – Present (Amerock)</i></p>		<p>05700129</p>
	<p><b>Mortise Lock, Active Multi-Point Lock</b> (latch, dead bolt and head/foot shoot bolts) <i>9/25/00 – Present (Amerock)</i></p>		<p>05700130</p>
	<p><b>Mortise Lock, Inactive Panel Multi-Point Lock</b> (head/foot shoot bolts) <i>9/25/00 – Present (Amerock)</i></p>		<p>05700131</p>
	<p><b>Cover Plate, Active Mortise Lock or Multi-Point Lock</b> <i>9/25/00– Present (Amerock)</i> Includes: 1 – Cover plate 2 – #8x1” Phillips flathead wood screws</p>	<p>Stainless Steel Antique Brass Oil Rubbed Bronze PVD Brass PVD</p>	<p>05700306 05700307 05700308 10148179</p>
	<p><b>Strike Plate, Panel – Mortise Lock or Multi-Point Lock</b> <i>UOAF – std. on 2-panel operator</i> <i>1/17/00 – Present (Amerock)</i> Includes: 1 – Jamb strike plate 2 – #8x1” Phillips flathead wood screws</p>	<p>Stainless Steel Antique Brass Oil Rubbed Bronze PVD Brass PVD</p>	<p>05700312 05700313 05700314 10148183</p>


ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<b>Strike Plate, Jamb–Mortise Lock or Multi–Point Lock</b> <i>UIAF – std. on 1 panel operator</i> <b>9/25/00 – Present (Amerock)</b> <i>Includes:</i> 1 – Jamb strike plate 2 – #8x1" Phillips flathead wood screws*	Stainless Steel Antique Brass Oil Rubbed Bronze PVD Brass PVD	05700300 05700301 05700302 10148177
	<b>Strike Plate, Inactive Panel–Mortise Lock or Multi–Point Lock</b> <i>UIAF – std. on 2 panel operator</i> <b>9/25/00 – Present (Amerock)</b> <i>Includes:</i> 1 – Jamb strike plate 2 – #8x1" Phillips flathead wood screws*	Stainless Steel Antique Brass Oil Rubbed Bronze PVD Brass PVD	05700303 05700304 05700305 10148178
	<b>Strike Plate, Jamb – Mortise Lock or Multi–Point Lock</b> <i>UOAF – std. on 1 panel operator</i> <b>1/17/00 – Present (Amerock)</b> <i>Includes:</i> 1 – Jamb strike plate 2 – #8x1" Phillips flathead wood screws*	Stainless Steel Antique Brass Oil Rubbed Bronze PVD Brass PVD	05700309 05700310 05700311 10148182
	<b>4" Butt Hinge</b> <b>NRP = Non Removable Pin</b> <i>Includes:</i> 1 – 4" hinge 7 – #9 x 1" Phillips flathead wood screws (11213824) 1 – #10 x 2 1/2" Phillips flathead wood screws (frame) (11800679)	Brass Satin Nickel PVD Stainless Steel	02101140 02100599 11809005
	<b>4" Butt Hinge Shim</b>		10500222
	<b>Long Hinge Screw Package</b> <b>9/25/00 – Present</b> <i>Includes:</i> 4 –#10 X 2 1/2" Screws* 1 – 5/32" Allen wrench Note: Order Dark Bronze screw package for Dark Bronze, Antique Brass and Oil Rubbed Bronze Hinges. Order Stainless Steel screw package for Silver Frost, Satin Chrome and Satin Nickel PVD Hinges.	Satin Taupe Gold Tone Dark Bronze White Stainless Steel Brass PVD Matte Black	11800653 11800632 11800644 11800637 11800639 10148185 11800696

\* Stainless Steel – 11800645, Dark Bronze – 11800652, PVD Brass – 11800536


NOTE: Dark Bronze screws are used with Antique Brass and Oil Rubbed Bronze PVD

**ILLUSTRATION**  
NOT TO SCALE

*Note: Always view units from the exterior for handing. H = Hinge location.*



*This panel uses the right hand hinge*



*This panel uses the left hand hinge*

ILLUSTRATION NOT TO SCALE	DESCRIPTION	HINGE COLOR	LEFT PART NO.	RIGHT PART NO.
<p><b>Hinge Kit, Adjustable</b> <i>Includes:</i> 1 – Adjustable hinge 1 – #10x2 1/2" Phillips flathead wood screws (jamb) 5 – #10x3/4" Phillips flathead wood screws (jamb, stationary stile) 4 – #8x1 1/2" Phillips flathead wood screws (panel)</p> <p>NOTE: Hinge part number includes the color matched screws. If you need to order the screws separately, they are listed below.</p>		Satin Taupe (TP)	02101216	02101227
		Goldtone (GT)	02101213	02101224
		Silver Frost (SF)	02101218	02101229
		Dark Bronze (DKBZ)	02101217	02101228
		Antique Brass (AB)	02101210	02101221
		White (WH)	02101214	02101225
		Satin Chrome (SC)	02101212	02101223
		Oil Rubbed Bronze (ORBZ)	02101219	02101230
		Oil Rubbed Bronze (ORBZ) PVD	02101211	02101222
		Brass (BS) PVD	02101215	02101226
		Satin Nickel (SN) PVD	02101220	02101231
		Polished Chrome (PC)	02101234	02101235
		Matte Black (MBK)	02101236	02101237
	SCREW DESCRIPTION	SCREW PART NO./COLOR	MATCHING HINGE COLOR	
#8x1 1/2" Phillips flathead wood screws (panel). Quantity of four needed per hinge.	11865177 TP	TP		
	11865172 GT	GT		
	11865173 WH	WH		
	02058013 DKBZ	AB, ORBZ PVD, DKBZ, ORBZ		
	11865176 BS PVD	BS PVD,		
	11865175 Stainless Steel	SC, SF, SN PVD, PC		
	11865178 MBK	MBK		
#10x 3/4" Phillips flathead wood screws (jamb) (stationary stile). Quantity of five needed per hinge.	11800674 TP	TP		
	11800670 GT	GT		
	11800671 WH	WH		
	11800669 DKBZ	AB, ORBZ PVD, DKBZ, ORBZ		
	11800673 BS PVD	BS PVD,		
	11800672 Chrome	SC, SF, SN PVD, PC		
11800677 MBK	MBK			
#10x2 1/2" Phillips flathead wood screws (jamb). Quantity of one needed per hinge.  NOTE: Part numbers for these screws are sold in packages of 4 screws and includes 1-5/32" Allen wrench.	11800653 TP	TP		
	11800632 GT	GT		
	11800637 WH	WH		
	11800644 DKBZ	AB, ORBZ PVD, DKBZ, ORBZ		
	10148185 BS PVD	BS PVD,		
	11800639 Stainless Steel	SC, SF, SN PVD, PC		
	11800696 MBK	MBK		





ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.																					
	<b>Head or Foot Flush Bolt – Inactive Panel</b>	Black	11101780																					
	<b>Cover Plate for Flush Bolt</b> <i>Includes:</i> 1 – Cover plate 2 – #8x1" SS screw (11800645)	Aluminum	11860402																					
	<b>Inactive Panel Locking Rod Assembly, Top or Bottom Flush Bolt</b> <i>9/25/00 – Present</i> <i>Includes:</i> 1 – Locking rod with end bolt <b>NOTE:</b> For 8-0 ht order top locking rod 05700185. <table border="0"> <tr> <td><b>Height</b></td> <td><b>Top Locking Rod Length</b></td> <td></td> </tr> <tr> <td>CN 6–8 ht</td> <td>11"</td> <td></td> </tr> <tr> <td>CN 7–0 ht</td> <td>11"</td> <td></td> </tr> <tr> <td>CN 8–0 ht</td> <td>27"</td> <td></td> </tr> <tr> <td>CN 9–0 ht</td> <td>34 1/4"</td> <td></td> </tr> <tr> <td><b>Height</b></td> <td><b>Bottom Locking Rod Length</b></td> <td></td> </tr> <tr> <td>All heights</td> <td>11 1/2"</td> <td>Outswing only</td> </tr> </table>	<b>Height</b>	<b>Top Locking Rod Length</b>		CN 6–8 ht	11"		CN 7–0 ht	11"		CN 8–0 ht	27"		CN 9–0 ht	34 1/4"		<b>Height</b>	<b>Bottom Locking Rod Length</b>		All heights	11 1/2"	Outswing only	Stainless Steel	05700180 05700180 05700185 05700170 10815178
<b>Height</b>	<b>Top Locking Rod Length</b>																							
CN 6–8 ht	11"																							
CN 7–0 ht	11"																							
CN 8–0 ht	27"																							
CN 9–0 ht	34 1/4"																							
<b>Height</b>	<b>Bottom Locking Rod Length</b>																							
All heights	11 1/2"	Outswing only																						
 Dim. A	<b>Locking Rod Assembly, Top for Multi-Point Active Panels – w/multi-point</b> <i>3/02 – Present (Amerock) 8–0 Height see History</i> <i>5/10/90 – Present (Amerock) 6–8 &amp; 7–0 Height</i> Solid stainless steel rod with 1/4" – 20 threads <b>NOTE:</b> For special heights give dimension A. <table border="0"> <tr> <td><b>Height</b></td> <td><b>Top Locking Rod Length</b></td> <td></td> </tr> <tr> <td>CN 6–8 ht</td> <td>37 15/16"</td> <td></td> </tr> <tr> <td>CN 7–0 ht</td> <td>41 15/16"</td> <td></td> </tr> <tr> <td>CN 8–0 ht</td> <td>51 7/16"</td> <td></td> </tr> <tr> <td>CN 9–0 ht</td> <td>63 7/16"</td> <td></td> </tr> </table>	<b>Height</b>	<b>Top Locking Rod Length</b>		CN 6–8 ht	37 15/16"		CN 7–0 ht	41 15/16"		CN 8–0 ht	51 7/16"		CN 9–0 ht	63 7/16"		Stainless Steel	05700176 05700177 05700179 05700191						
<b>Height</b>	<b>Top Locking Rod Length</b>																							
CN 6–8 ht	37 15/16"																							
CN 7–0 ht	41 15/16"																							
CN 8–0 ht	51 7/16"																							
CN 9–0 ht	63 7/16"																							






ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.										
	<p><b>Locking Rod Assembly, Bottom for Multi-Point Lock</b> <i>UIAF</i> <b>Active Panels - w/multi-point</b> <b>9/25/00 - Present (Amerock)</b> Solid stainless steel rod with 1/4" - 20 threads</p> <table border="0"> <tr> <td><b>Height</b></td> <td><b>Bottom Locking Rod Length</b></td> </tr> <tr> <td>CN 6-8 ht</td> <td>34 9/32"</td> </tr> <tr> <td>CN 7-0 ht</td> <td></td> </tr> <tr> <td>CN 8-0 ht</td> <td></td> </tr> <tr> <td>CN 9-0 ht</td> <td></td> </tr> </table>	<b>Height</b>	<b>Bottom Locking Rod Length</b>	CN 6-8 ht	34 9/32"	CN 7-0 ht		CN 8-0 ht		CN 9-0 ht		Stainless Steel	05700170
<b>Height</b>	<b>Bottom Locking Rod Length</b>												
CN 6-8 ht	34 9/32"												
CN 7-0 ht													
CN 8-0 ht													
CN 9-0 ht													
	<p><b>Locking Rod Assembly, Bottom for Multi-Point Lock</b> <i>UOAF</i> <b>Active Panels - w/multi-point</b> <b>9/25/00- Present</b> Solid stainless steel rod with 1/4" - 20 threads</p> <table border="0"> <tr> <td><b>Height</b></td> <td><b>Bottom Locking Rod Length</b></td> </tr> <tr> <td>CN 6-8 ht</td> <td>34 3/4"</td> </tr> <tr> <td>CN 7-0 ht</td> <td></td> </tr> <tr> <td>CN 8-0 ht</td> <td></td> </tr> <tr> <td>CN 9-0 ht</td> <td></td> </tr> </table>	<b>Height</b>	<b>Bottom Locking Rod Length</b>	CN 6-8 ht	34 3/4"	CN 7-0 ht		CN 8-0 ht		CN 9-0 ht		Stainless Steel	10815179
<b>Height</b>	<b>Bottom Locking Rod Length</b>												
CN 6-8 ht	34 3/4"												
CN 7-0 ht													
CN 8-0 ht													
CN 9-0 ht													
	<p><b>Shoot Bolt Guide</b> <b>9/25/00 - Present</b> <b>Active Panels - w/Multi-Point</b> <b>Inactive Panels - All</b> 1 - Shoot bolt guide (10815186) 1 - #8x1 1/2" Phillips panhead wood screw (11800766)</p>		10815199										













ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<p><b>Strike Plate, Head Jamb/Sill</b>  <b>UIAF</b>  <b>9/25/00 – Present</b>  <i>Includes:</i>                      1 – Strike plate  <i>Uses:</i>                      2– #8 x 1/2 " machine screws</p>	SS	10815201
	<p><b>Strike Plate, Sill</b>  <b>UIAF</b>  <i>Includes:</i>                      1 – Strike plate  <i>Uses:</i>                      2– #8 x 1/2 " machine screws</p>	SS	NA (use PN 10815201)
	<p><b>Fastener, Strike Plate, Sill and Head Jamb</b>  <b>UIAF</b>                      #8 x 1/2 " machine screws</p>	SS	11800847
	<p><b>Well-Nut Threaded Insert</b>  <b>UIAF</b>  <b>9/25/00 – Present</b></p>	BK	10830008
	<p><b>Strike Plate, Head Jamb</b>  <b>UOAF</b>  <b>9/25/00 – Present</b>  <i>Includes:</i>                      1 – Strike plate                      2 – #8 x 1" Phillips trusshead screws                      (head jamb)                      2– #8 x 3" trusshead stainless screws                      (head jamb) (11800832))</p>	BG BZ	05700315 05700316
	<p><b>Strike, Sill</b>  <b>UOAF</b>  <b>9/25/00 – Present</b>  <i>Includes:</i>                      1 – Strike plate                      2 – #8 x 5/8" Phillips panhead stainless steel                      machine screws (sill) (11800726)                      2 – Well-nut threaded insert (sill)                      10830008</p>	BG BZ	18900365 18900368


ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<p><b>Installation Screw Package; Strike Plate(s) at head jamb, or locking jamb</b>  <b>9/25/00 – Present</b>                      #8 x 2 1/2" Flathead wood screw                      Package of 2                      Package of 2                      Package of 2</p>	<p>Stainless Steel                      Solid Brass                      Antique Brass</p>	<p>11882349                      11882343                      11882347</p>
	<p><b>Sill Bolt, Stationary Panel</b>  <b>9/25/00 – Present</b>                      Includes:                      2 – #8 x 3" Phillips flathead wood screws                      (11800830)</p>	<p>Zinc Die Cast</p>	<p>11101856</p>
	<p><b>Drain Plug, Sill</b>  <b>UIAF</b>  <b>9/25/00 – Present</b></p>	<p>BG                      BZ</p>	<p>10500253                      10500249</p>
	<p><b>Head Jamb Spacer Tack; Stationary Panel</b>  <b>9/25/00 – Present</b></p>		<p>11860424</p>
	<p><b>Jamb Spacer Tack; Stationary Panel</b>  <b>9/25/00 – Present</b>                      3/4" Diameter Head</p>		<p>11860423</p>

### CURRENT REPLACEMENT WOOD PARTS


	Wood	Clad
Jamb Stop – UOAFD	W6531	W6531
Jamb Parting Stop – WUIAFD	W6535	–
Head Jamb Parting Stop – WUIAFD	W6554	–
Head Jamb Stop – UOAFD	W8598	W8598
First Mull Casing and Astragal – WUAFD	W1455	–
Sill Liner (oak) – UAFD	W2528	W2528
Astragal Cover – WUAFD	W7554	–
Stationary Sweep Filler – WUOAFD	W3297	–
Oak Sill Cover	W9510	–




W6531 – Jamb Stop  
OAFD




W6535 – Jamb  
Parting Stop  
WIAFD




W6554 – Head  
Jamb Parting Stop  
WUIAFD



W8598 – Head  
Jamb Stop  
UOAFD




W1455 – First Mull Casing  
and Astragal  
WUAFD




W2528 – Sill Liner  
(oak)  
UAFD


31/32"  
(25)



W7554 – Astragal Cover  
WUAFD




W3297 – Stationary  
Sweep Filler  
WUOAFD




W9510 – Oak Sill  
Cover  
WUOAFD

## REPLACEMENT VINYL, ALUMINUM OR FIBERGLASS PARTS

	Wood	Clad
Stationary Panel Sill Spacer – Beige or Black	V941	V941
Panel Drip – Beige or Black	V940	V940
Panel Drip (In-Sash Transom) – Beige or Black	V800	V800
Sash Retainer (Transom) – Black	V026	V026
Sill Leveling Block (Transom) – Beige or Black	V027	V027
Hydro-Optimizer – Beige or Bronze	A1251	A1251
Head Jamb, Jamb Parting Stop	---	A1266
Mullion Casing Base	---	A771
Astragal Cladding	---	A772
Ultrex Sill, 4 9/16" Jamb – Beige or Bronze	F256	F256
Ultrex Sill, 6 9/16" Jamb – Beige or Bronze	F257	F257




V941 – Stationary Panel Drip/Sill Spacer




V940 – Panel Drip




V800 – Panel Drip




V026 – Sash Retainer



V027 – Sill Leveling Block




A1251 – Hydro-Optimizer




A1266 – Head Jamb, Jamb Parting Stop



A771 – Mullion Casing Base



A772 – Astragal Cladding




F256 – Ultrex Sill,\* 4 9/16" Jamb

### TO ORDER REPLACEMENT PARTS

When ordering replacement parts specify:

1. profile number;
2. rough opening;
3. length;
4. handing;
5. finish.



F257 – Ultrex Sill, 6 9/16" Jamb\*




\* Must specify Inswing or Outswing.

**ULTIMATE ARCH TOP FRENCH DOORS**

When ordering replacement weather strip specify:

1. quantity;
2. length;
3. part number;
4. description.

ILLUSTRATION <i>NOT TO SCALE</i>	DESCRIPTION	LENGTH	OPER./COLOR	PART NUMBER
	<b>Weather strip, Sill</b> <i>UOAF: 9/25/00 – Present</i> V776	87 11/16" 164 7/8" 164 7/8"	BG BG BK	11197276 11197296 11197297
	<b>Weather strip, Stile</b> <i>UOAF: 9/25/00 – Present</i> V020	79 7/16" 79 7/16" 83 7/16" 92 15/16" 92 15/16" 104 15/16" 104 15/16" 150" 150"	BG BK BG BG BK BG BK BG BK	11197968 11197969 11197970 11197982 11197981 11197990 11197991 11197999 11197998
	<b>Weather strip, Frame</b> <i>UOAF: 9/25/00 – Present</i> V017	41 5/16" 80 5/8" 94 1/8" 164 7/8" 164 7/8"	BG BG BG BG BK	11197536 11198668 11198682 11197596 11197598
	<b>Pile Weather strip, Jamb or Panel</b> <i>UOAF: 9/25/00 – Present</i> Adhesive backed 1 3/8" x 3/8" x 1/2"		GY	15600010
	<b>Sweep, Active and Inactive Panel</b> <i>UOAF : 9/25/00 – Present</i> V779	CN 2/6 CN 2/8 CN 3/0 CN 3/0	BG BG BG BK	11197426 11197428 11197430 11197431
	<b>Sweep, Stationary Panel</b> <i>UOAF: 9/25/00 – Present</i> V778	CN 3/0 150" 150"	BG BG BK	11197330 11197399 11197398
	<b>Weather strip, Panel Cover</b> <i>UOAF: 9/25/00 – Present</i> V018	150" 150"	BG BK	11198799 11198999
	<b>Flex-Bulb Weather strip, Sill</b> <i>UIAF: 9/25/00 – Present</i> V794	92 3/4" 164 3/4" 164 3/4"	BG BG BK	15180780 15180798 15180799
	<b>Inactive Panel Stile Center</b> <i>UIAF: 9/25/00 – Present</i> V780	150" 150"	BG BK	15174099 15174098

ILLUSTRATION <i>NOT TO SCALE</i>	DESCRIPTION	LENGTH	OPER./COLOR	PART NUMBER
	<p><b>Offset Bulb Weather strip, Parting Stop, Frame, Mull Casing, Transom and Astragal</b>  <i>9/25/00 - Present</i>                      V796</p>	<p>41 1/4"                      92 7/8"                      92 7/8"                      104 7/8"                      104 7/8"                      164 13/16"</p>	<p>BG                      BG                      BK                      BG                      BK                      BG</p>	<p>15171136                      15170082                      15170083                      15170090                      15170091                      15172140</p>
	<p><b>Dust Block / Pile Jamb or Panel</b>  <i>UIAF</i>  <i>9/25/00 - Present</i>                      Adhesive backed</p> <p>1" x 1/8" x 3/4"</p>		<p>GY</p>	<p>19061221</p>
	<p><b>Connecting Barb</b>  <i>9/25/00 - Present</i>                      V803                      NOTE: Color may vary depending on current stock.</p> <p>Wood Door and Wood and Clad Transom only</p>	<p>Specify Length</p>		<p>15812999</p>

**ORDERING REPLACEMENT PANELS FOR THE  
 ULTIMATE ARCH TOP FRENCH DOOR**

To order replacement panels specify:

1. OM of panel;
  - NOTE: OM of panel does not include astragal.**
  - a. template required for Ultimate Arch Top French door panel prior to 7/14/03.
2. active, inactive or stationary
  - a. Active – specify no lock (no bore), bore for passage latch/dead bolt, single–point mortise lock or multi–point mortise lock.
  - b. Inactive – specify head or foot bolts or multi–point mortise lock.
  - c. Stationary – specify configuration and astragal or mull casing (if applicable).
3. handing;
4. glazing;
5. finish.
6. Glazing bead profile
  - a. Bevel
  - b. Square



**Inswing/Outswing Arch Top  
 Active Panel  
 Exterior View**

**Active panels include:** sweep and route for hinges.

**Inactive panels include:** sweep, route for hinges, astragal and head and foot bolts.


**Stationary panels include:** leveling block.



**ORDERING REPLACEMENT WOOD OR VINYL PARTS FOR  
 ULTIMATE ARCH TOP FRENCH DOOR 5/98 – PRESENT**

**WOOD PARTS**


	<b>Profile Number</b>
Stationary Panel Head Jamb Spacer	W6126
Astragal	W7528




W7528 – Astragal

**VINYL PARTS**


	<b>Profile Number</b>
Astragal Base/Weather strip – Beige	V822
Bottom Rail Filler	V200



W6126 – Stationary Panel Head Jamb Spacer



V200 – Bottom Rail Filler



V822 – Astragal Base/Weather strip

**TO ORDER REPLACEMENT PARTS**

When ordering replacement combination wood or vinyl parts specify:

1. profile number;
2. length;
3. handing;
  - a. on jamb filler specify right or left jamb (viewed from exterior)
4. finish.








ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./ COLOR	PART NO.
	<b>Tailpiece, Non-keyed, Button Switch</b>	SS	10501844
	<b>Cover, Transmitter, L-Shape</b> <i>Ultimate Inswing French Door Arch Top</i>	BSS	10501821
	<b>Cover, Transmitter</b> <i>Ultimate Inswing French Door Arch Top</i>	BSS	10501822
	<b>#8-18 x 1" Type AB, Full Thread</b> <i>Used for Transmitter Covers</i> <i>Need quantity of 2 for each part</i>		11800769
	<b>Lock Rod, Transmitter Recess, Shoot Bolt, LH</b> <i>Ultimate Inswing French Door Arch Top</i>	BSS	10501838
	<b>Lock Rod, Transmitter Recess, Shoot Bolt, RH</b> <i>Ultimate Inswing French Door Arch Top</i>	BSS	10501841
	<b>Micro Switch Assembly</b>	BK	10501824
	<b>Lock Rod, Transmitter Recess, Shoot Bolt at Sill, LH</b> <i>Ultimate Outswing French Door Arch Top</i>	BSS	10501839
	<b>Lock Rod, Transmitter Recess, Shoot Bolt at Sill, RH</b> <i>Ultimate Outswing French Door Arch Top</i>	BSS	10501842


ILLUSTRATION NOT TO SCALE	DESCRIPTION	
	<p><b>Hinge, Adjustable</b>  <b>USAGE: Pre-2012 (no longer available)</b></p> <p><i>Note: The current adjustable hinge kit may also be used for replacement. If using the current adjustable hinge, all hinges on the panel must be changed. See current hinge for additional replacement screws.</i></p> <p>5 – #10x1"Phillips flathead wood screws            4 – #8x1 1/2"Phillips flathead wood screws (use current)            5 – #10x1"Phillips flathead wood screws</p> <p>NOTE: If you need to order screws separately, they are listed below aligned with the corresponding hinge color.</p>	
SCREW DESCRIPTION	HINGE COLOR	SCREW COLOR/PART NO.
#10x1"Phillips flathead wood screws. Quantity of 5 needed per hinge.	Satin Taupe Goldtone Satin Frost Dark Bronze Antique Brass White Satin Chrome Oil Rubbed Bronze Oil Rubbed Bronze PVD Brass PVD Satin Nickel PVD Polished Chrome	Satin Taupe 05580145 Goldtone 11800606 Stainless Steel 11800605 Dark Bronze 02050526 Dark Bronze 02050526 White 11800603 Stainless Steel 11800605 Dark Bronze 02050526 Dark Bronze 02050526 BS PVD 11800600 Stainless Steel 11800605 Stainless Steel 11800605





ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<p><b>Butt Hinge, Inswing Doors</b>  <i>Includes:</i>                      1 - 4" hinge                      3 - #9x1" Phillips flathead wood screws (panel)                      2 - #9x3/4" Phillips flathead wood screws (frame)                      1 - #10x2 1/2" Phillips flathead wood screws (frame) Brass 11800635 (pkg. of 4)                      4) Stainless Steel 11800639 (pkg. of 4)</p>	<p>Brass Plated                      Solid Brass                      SS</p>	<p>02100569                      N/A                      N/A</p>
 RP version shown	<p><b>Butt Hinge, Outswing Doors</b>  <i>Includes:</i>                      1 - 4" hinge                      4 - #10x1" Phillips flathead wood screws (panel)                      3 - #10x3/4" Phillips flathead wood screws (frame)                      1 - #10x2 1/2" Phillips flathead wood screws (frame)</p>		<p>N/A</p>
	<p><b>Multi-Point Handle, Active, Solid Brass Pre-2000 (Essve) (Schlage keyway)</b>  <i>Includes:</i>                      1 - Interior handle (A) with escutcheon plate and thumb turn                      1 - Exterior handle (B) with escutcheon plate and keyed cylinder                      1 - Spindle (C)                      2 - Escutcheon mounting extensions (D)                      1 - Jamb strike (center) (E)                      2 - Keys                      2 - #10 - 24x1 1/2" Phillips ovalhead machine screws                      4 - #7x5/8" Phillips flathead wood screws (Strike)</p>	<p>LH                      RH</p>	<p>N/A                      (Current handle can be used by turning it upside down).</p>
	<p><b>Multi-Point Handle, Inactive, Solid Brass Pre-2000 (Essve)</b></p>		<p>N/A                      (Current handle can be used by turning it upside down).</p>






ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.									
	<p><b>Spindle Package for Multi-Point Handle</b>  <b>Pre-2000 (Essve)</b>  <i>Includes:</i>                      1 - Spindle                      2 - Escutcheon mounting extensions</p>		N/A									
	<p><b>Active Multi-Point Hardware Assembly</b>  <b>Pre-2000 (Essve)</b>  <i>Includes:</i>                      1 - Multi-Point hardware assembly                      (with mortise locks)                      9 - #6x1 1/2" Phillips flathead wood screws</p>		N/A									
	<p><b>Inactive Multi-Point Hardware Assembly</b>  <b>Pre-2000 (Essve)</b>  <i>Includes:</i>                      1 - Inactive multi-point hardware assembly                      9 - #6X1 1/2" Phillips flathead wood screws</p>	<p>CN 6-8 and 7-0 ht.                       CN 8-0 ht.</p>	<p>N/A                       N/A</p>									
	<p><b>Multi-Point Top Corner Drive</b>  <b>Pre-2000 (Essve)</b>                      For Inactive panel with multi-point  <i>Includes:</i>                      1 - Top corner drive                      Attached with #6x1/2" Phillips flathead wood screws</p> <table border="0" data-bbox="678 1570 1057 1661"> <tr> <td>CN 6-8 ht.</td> <td>7 29/64"</td> <td>(189)</td> </tr> <tr> <td>CN 7-0 ht.</td> <td>11 15/32"</td> <td>(291)</td> </tr> <tr> <td>CN 8-0 ht.</td> <td>10 5/16"</td> <td>(262)</td> </tr> </table> <p>NOTE: For special heights give Dimension A.</p>	CN 6-8 ht.	7 29/64"	(189)	CN 7-0 ht.	11 15/32"	(291)	CN 8-0 ht.	10 5/16"	(262)		<p>N/A                      N/A                      N/A</p>
CN 6-8 ht.	7 29/64"	(189)										
CN 7-0 ht.	11 15/32"	(291)										
CN 8-0 ht.	10 5/16"	(262)										
	<p><b>Multi-Point Bottom Corner Drive</b>  <b>Pre-2000 (Essve)</b>                      For Inactive panel with multi-point</p>		N/A									








ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./ COLOR	PART NO.
	<b>Corner Drive Filler, Multi-Point Lock</b> <i>Pre-2000 (Essve)</i>		N/A
	<b>Jamb Strike, Center, Solid Brass, Multi-Point Lock</b> <i>Pre-2000 (Essve)</i> <i>Includes:</i> 1 – Jamb strike 4 – #7 x 5/8" Phillips flathead wood screws		N/A
	<b>Jamb Strike, Center, Extended, Solid Brass, Multi-Point Lock</b> <i>Pre-2000 (Essve)</i>		N/A
	<b>Jamb Strike, Top or Bottom, Solid Brass, Multi-Point Lock</b> <i>Pre-2000 (Essve)</i> <i>Includes:</i> 1 – Jamb strike 4 – #7 x 5/8 Phillips flathead screws		N/A
	<b>Strike, Inactive Panel, Head Jamb, Multi-Point Lock</b> <i>Pre-2000 (Essve)</i> <i>Includes:</i> 1 – Strike 4 – #7x5/8" Phillips flathead wood screws		N/A
	<b>Corner Drive Sill Receptacle, Solid Brass, Multi-Point Lock</b> <i>Pre-2000 (Essve)</i>		N/A
	<b>Sill Receptacle Gasket, Multi-Point Lock</b> For corner drive sill receptacle		N/A











ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<b>Astragal Strike Latch, Multi-Point Lock</b> <i>Pre-2000 (Essve)</i> Inactive panel with multi-point hardware Includes: 1 – Latch 2 – #7x5/8" Phillips flathead wood screws		N/A
	<b>Lever Washers – Pre – 2000</b>		N/A
	<b>Lever Spacers – Pre – 2000</b>		N/A
	<b>Lever Shims – Pre – 2000</b>		N/A
	<b>Dummy Lever Cams – Pre – 2000</b>		N/A
	<b>Snap Rings – Pre – 2000</b>		N/A
	<b>Spindle – Pre – 2000</b> 4 3/16"		N/A
	<b>Inactive Panel Flush Bolt</b> 9/25/00 – 3/02 Includes: 1 – Flush bolt 4 – #6 x 1 1/2" Phillips flathead wood screws	Solid Brass Antique Brass Polished Chrome White	N/A N/A N/A N/A
	<b>Strike Plate, Jamb-Mortise Lock or Multi-Point Lock</b> 9/25/00 – 3/31/03 (Amerock) Includes: 1 – Jamb strike plate 2 – #8x1" Brass Phillips flathead wood screws	Polished Chrome Brushed Chrome White	N/A 05700121 N/A
	<b>Stop clip with screws</b> 9/25/00 – Present NA for individual part		N/A






ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<p><b>Strike Plate, Inactive Panel–Mortise Lock or Multi–Point Lock</b>  <b>9/25/00 – 3/31/03 (Amerock)</b>  <i>Includes:</i>                      1 – Jamb strike plate                      2 – #8x1” Brass Phillips flathead wood screws</p>	Polished Chrome Brushed Chrome White	N/A N/A N/A
	<p><b>Cover Plate, Active Mortise Lock or Multi–Point Lock</b>  <b>9/25/00– 3/31/03 (Amerock)</b>  <i>Includes:</i>                      1 – Cover plate                      2 – #8x1” Phillips flathead wood screws</p>	Polished Chrome Brushed Chrome White	N/A N/A N/A
	<p><b>Cover Plate for Flush Bolt</b></p>		N/A
	<p><b>Strike Plate, Head Jamb</b>  <b>WIAFD</b>  <b>9/25/00 – 3/31/03</b>  <i>Includes:</i>                      1 – Strike plate                      2 – #8x1” Phillips flathead wood screws (head jamb)</p>	Polished Chrome Brushed Chrome White Brass Antique Brass	10148048 N/A N/A 10148045 NA
	<p><b>Strike Plate, Sill</b>  <b>WIAFD</b>  <b>9/25/00 – 3/31/03</b>  <i>Includes:</i>                      1 – Strike plate – 05700018                      2 – #8x 1/2” Phillips flathead machine screws (sill)                      2 – Well–nut #8 machine screw (sill) 10830008</p>	Polished Chrome Brushed Chrome White Brass Antique Brass	N/A 18900364 N/A 18900360 N/A
	<p><b>Strike Plate, Head Jamb &amp; Sill</b>  <b>UIAF</b>  <i>Includes:</i>                      2 – Strike plates                      2 – #8x 1” Phillips flathead wood screws                      2 – #8x 1 1/2” Phillips flathead machine screws</p>	PVD Brass	N/A
	<p><b>Inactive Panel Backset Extension for Head or Foot Bolt</b>  <b>9/25/00 – Present</b>                      With 1/4” – 20 threads  <i>Includes:</i>                      1 – Backset extension                      1 – 1/4” –20 x3/4” Phillips flathead machine screw</p>		N/A








ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
<p>Interior</p>  <p>Exterior</p>	<p><b>Handle Assembly, Active Panel</b>  <b>Mortise lock and Multi-point lock systems</b>  <i>(Schlage "C" keyway)</i>  <i>Includes:</i>            1 - Interior lever (A) with 00142006 spindle, escutcheon plate and hardware            1 - Exterior lever (B) with escutcheon plate and hardware            1 - Thumb turn (C) with hardware            1 - Keyed cylinder (D) with housing and hardware            1 - Exterior escutcheon plate gasket (E)            1 - Exterior escutcheon plate (F)            1 - Two piece spindle (G)            2 - #10-32x2" Phillips ovalhead machine screws (H)            1 - Interior Escutcheon plate (I)            2 - Keys</p>	<p>Polished Chrome</p>	<p>10148117</p>
<p>Interior</p>  <p>Exterior</p>	<p><b>Handle Assembly, Inactive/Dummy</b>  <i>Includes:</i>            1 - Interior lever (A) with 00142006 spindle, escutcheon plate and hardware            1 - Exterior lever (B) with escutcheon plate and hardware            1 - Exterior escutcheon plate gasket (C)            1 - Exterior escutcheon plate (D)            1 - Two piece spindle (E)            2 - #10-32x2" Phillips ovalhead machine screws (F)            1 - Interior Escutcheon plate (G)</p>	<p>Polished Chrome</p>	<p>10148148</p>
	<p><b>Installation Screw Package; Strike Plate(s) at head jamb, sill, or locking jamb</b>            #8 x 2 1/2" Flathead wood screw            Package of 4</p>	<p>White</p>	<p>11882348</p>


ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<p><b>Hinge, Adjustable, Left Hand- Right Hand</b>  <b>2000-2005</b></p>	<p>Polished Chrome            Satin Taupe            Gold Tone            Silver Frost            Dark Bronze            White</p>	<p>N/A            Use            current            hinge            (All hinges            must be            changed            on panel)</p>
	<p><b>Hinge, Adjustable</b>  <i>Includes:</i>            1 - Adjustable hinge            1 - #10x2 1/2" Phillips flathead wood screws (jamb)            4 - #10x1" Phillips flathead wood screws (jamb) or            5 - #10x1" Phillips flathead wood screws (stationary stile)            4 - #8x1 1/2" Phillips flathead wood screws (panel)            1 - 5/32" Allen wrench (adjustment)</p>	<p>PC</p>	<p><b>Right Hand</b>            NA</p> <hr/> <p><b>Left Hand</b>            NA</p>

**CURRENT REPLACEMENT WOOD PARTS**


**FRENCH ARCH TOP INSWING AND OUTSWING**

	<b>Wood</b>
Astragal	W7222
Astragal (Multi-Point)	W7219
Stationary Head Jamb, Jamb and Astragal Filler	W6040*
Stationary Head Jamb and Jamb Spacer	W6220*
Stationary Jamb Filler (Multi-panel)	W7235*


\* No longer available.




W7222 – Astragal




W7219 – Astragal (Multi-Point)



W6040\* – Stationary Head Jamb, Jamb and Astragal Filler



W6220\* – Stationary Head Jamb and Jamb Spacer



W7235\* – Stationary Jamb Filler (Multi-panel)

**TO ORDER REPLACEMENT WOOD PARTS**

When ordering replacement wood parts specify:


1. profile number;
2. call number or rough opening;
3. handing;
  - a. for operator first mull casing specify right or left hand (as viewed from the exterior)
  - b. for astragal specify hardware prep (if applicable)
4. length;
5. finish;
6. radius (if applicable).

**ORDERING REPLACEMENT VINYL, ALUMINUM OR FIBERGLASS PARTS FOR ARCH TOP FRENCH DOORS**

**FRENCH ARCH TOP INSWING**

	<b>Wood</b>
Sweep – Beige	V302
Stationary and Sidelite Leveling Block – Beige	V199*
Ultrex Sill (4 9/16" Jamb) – Beige	F251*
Ultrex Sill (6 9/16" Jamb) – Beige	F253*

\* No longer available




V302 – Sweep


**FRENCH ARCH TOP OUTSWING**

	<b>Wood</b>
Sweep – Beige	V212*
Stationary and Sidelite Leveling Block – Beige	V770*
Ultrex Sill – Beige	F252*


\* No longer available




\*V199 – Stationary and Sidelite Leveling Block  
No longer available




\*F251 – Ultrex Sill (4 9/16" Jamb)  
No longer available




\*F253 – Ultrex Sill (6 9/16" Jamb)



\*V212 – Sweep



\*V770 – Stationary and Sidelite Leveling Block



\*F252 – Ultrex Sill

**TO ORDER REPLACEMENT PARTS**







When ordering replacement parts specify:

1. profile number;
2. size (call number or rough opening);
3. length;
4. handing;
5. finish (where applicable).

**FRENCH DOORS AND ARCH TOP FRENCH DOOR WEATHER STRIP**

When ordering replacement weather strip specify:






1. quantity;
2. length;
3. part number;
4. description.

ILLUSTRATION <i>NOT TO SCALE</i>	DESCRIPTION	LENGTH	PART NUMBER
	<b>Foam Weather strip, Frame</b> V650 Color: Beige	144"	NA
	<b>Sill Dust Block Assembly</b> Inswing doors only		N/A
	<b>Pile Weather strip, Sill</b> Adhesive backed Outswing doors only Color: Beige 13/16" x 13/32" x 1 15/16"		N/A
	<b>Offset Bulb Weather strip, Parting Stop, Frame, Mull Casing, Transom and Astragal</b> V796 Color: Beige	189 11/16"	15173298
	<b>Weather strip, Stile</b> V020 Color: Beige	95 9/16"	11197980
	<b>Weather strip, Frame</b> V017 Color: Beige	164 5/32"	11197596

**WOOD INSWING ARCH TOP COMBINATION DOOR PARTS**

When ordering replacement combination parts specify:








1. part number;
2. quantity;
3. description.

ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<p><b>Surface Mount Hinge Pair, Solid Brass</b></p>		N/A
	<p><b>Handle Package, Solid Brass</b></p> <p><i>Includes:</i></p> <ul style="list-style-type: none"> <li>1 - Interior handle (A) with locking rose</li> <li>1 - Exterior handle (B) with rose</li> <li>1 - Latch bolt assembly (C)</li> <li>1 - Strike (D)</li> <li>4 - #6x3/4" Phillips ovalhead wood screws (handle)</li> <li>2 - #4x3/4" Phillips ovalhead wood screws (strike)</li> </ul>		02550630
	<p><b>Hinge, Solid Brass WIAFD</b></p>		N/A
	<p><b>Handle Package, Solid Brass WIAFD</b></p> <p><i>Includes:</i></p> <ul style="list-style-type: none"> <li>1 - Interior locking handle assembly (A) with rose</li> <li>1 - Exterior handle (B) with rose</li> <li>1 - Strike (C) 05700033</li> <li>4 - #5x5/8" Phillips ovalhead wood screws (handle)</li> <li>2 - #8x5/8" panhead wood screws (strike)</li> </ul>		11100301
	<p><b>Thimble Headbolt receiver</b></p>	BS	02540664

**WOOD INSWING ARCH TOP COMBINATION DOOR PARTS**

When ordering replacement combination parts specify:

1. part number;
2. quantity;
3. description.

ILLUSTRATION NOT TO SCALE	DESCRIPTION	OPER./COLOR	PART NO.
	<p><b>Head or Foot Bolt, Solid Brass</b>  <i>Includes:</i>                      1 – Bolt assembly                      2 – #6x1 1/4" Phillips flathead wood screws</p>		00143068
	<p><b>6 9/16" Sill Strike</b>                      Foot bolt receiver                      1 – Sill strike                      2 – #4x1/2" Phillips flathead screws</p>	Beige Specify prep for combination	05700031
	<p><b>Stationary Panel Bracket</b>  <i>Includes:</i>                      1 – Stationary panel bracket                      4 – #7x3/4" Phillips flathead wood screws</p>		11841000
	<p><b>Keeper, Storm Insert</b>                      Inswing French Door 5/98 – Present</p>		00143062
	<p><b>Drip Cap, Storm Insert</b>                      Inswing French Door 5/98 – Present                      V795                      144" pc</p>	BG BK	NA 15646069
	<p><b>Leaf Spring, Screen Insert</b>                      Inswing French Door 5/98 – Present</p>		NA
	<p><b>Finger Pull, Screen Insert</b>                      Inswing French Door 5/98 – Present                      V254</p>	Clear	N/A