













CASEMENT PICTURE ROUND TOP

RT6 STANDARD SIZES STATIONARY UNITS AS PICTURE - IN SASH

RO (mm)	2 - 1 (635)	2 - 3 (685)	2 - 5 (736)	2 - 7 (787)	2 - 9 (838)
1 - 6 1/2 (470)	 UCAPRT2419	 UCAPRT2619	 UCAPRT2819	 UCAPRT3019	 UCAPRT3219
2 - 0 1/2 (622)	 UCAPRT2423	 UCAPRT2623	 UCAPRT2823	 UCAPRT3023	 UCAPRT3223
3 - 0 1/2 (927)	 UCAPRT2435	 UCAPRT2635	 UCAPRT2835	 UCAPRT3035	 UCAPRT3235
4 - 0 1/2 (1232)	 UCAPRT2447	 UCAPRT2647	 UCAPRT2847	 UCAPRT3047	 UCAPRT3247
5 - 0 1/2 (1537)	 UCAPRT2459	 UCAPRT2659	 UCAPRT2859	 UCAPRT3059	 UCAPRT3259
6 - 0 1/2 (1842)	 UCAPRT2471 T	 UCAPRT2671 T	 UCAPRT2871 T	 UCAPRT3071 T	 UCAPRT3271 T

Details and Elevations not to scale.

T For safety and/or code requirements, Marvin recommends tempered glass in all units with a frame size height of 71 1/8" or larger and units with basic frame size 25.2 ft².































Please consult your local Marvin representative for more information.

For further details and drawings visit the 'Tools and Documents' section at Marvin.com.

Ultimate Casement Picture Round Top: UCAPRT

CASEMENT PICTURE ROUND TOP

RT6 STANDARD SIZES STATIONARY UNITS AS PICTURE - IN SASH





RO (mm)	3 - 1 (939)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	6 - 1 (1854)
1 - 6 1/2 (470)	 UCAPRT3619	 UCAPRT4019	 UCAPRT4819	 UCAPRT5619	 UCAPRT7219
2 - 0 1/2 (622)	 UCAPRT3623	 UCAPRT4023	 UCAPRT4823	 UCAPRT5623	 UCAPRT7223
3 - 0 1/2 (927)	 UCAPRT3635	 UCAPRT4035	 UCAPRT4835	 UCAPRT5635	 UCAPRT7235
4 - 0 1/2 (1232)	 UCAPRT3647	 UCAPRT4047	 UCAPRT4847	 UCAPRT5647	 UCAPRT7247
5 - 0 1/2 (1537)	 UCAPRT3659	 UCAPRT4059	 UCAPRT4859	 UCAPRT5659	 UCAPRT7259
6 - 0 1/2 (1842)	 UCAPRT3671 T	 UCAPRT4071 T	 UCAPRT4871 T	 UCAPRT5671 T	 UCAPRT7271 T

CASEMENT PICTURE ROUND TOP

RT1 STANDARD SIZES - IN SASH

RO (mm)	2 - 1 (635)	2 - 5 (737)	2 - 9 (838)	3 - 1 (940)
1 - 0 1/2 (318)	 UCART2412	 UCART2814	 UCART3216	 UCART3218
RO (mm)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	5 - 1 (1549)
1 - 8 1/2 (521)	 UCART4020	 UCART4824	 UCART5628	 UCART6030
RO (mm)	5 - 5 (1651)	6 - 1 (1854)	7 - 1 (2159)	8 - 1 (2464)
2 - 8 1/2 (826)	 UCART6432	 UCART7236	 UCART8442	 UCART9648
RO (mm)	9 - 1 (2769)	10 - 1 (3073)		
4 - 6 1/2 (1384)	 UCART10854		 UCART12060	
RO (mm)				

RT29 STANDARD SIZES - IN SASH

RO (mm)	3 - 5 (1041)	4 - 1 (1245)	4 - 9 (1448)	6 - 1 (1854)
1 - 5 15/16 (456)	 UCART4017	 UCART4817	 UCART5617	 UCART7217
RO (mm)				

Details and Elevations not to scale.

- Units with basic frame size 25.2 ft² and larger may require tempered glass.



Please consult your local Marvin representative for more information.

For further details and drawings visit the 'Tools and Documents' section at Marvin.com.

CASEMENT PICTURE ROUND TOP


QUARTER CIRCLE

RT15 AND RT16 STANDARD SIZES (RT16 SHOWN) - IN SASH



FULL CIRCLE

RT27 STANDARD SIZES - IN SASH



ELLIPSE

RT28 STANDARD SIZES - IN SASH

