

SINGLE HUNG ROUND TOP G2

RT21 AND RT22 STANDARD SIZES OPERATORS

RO (mm)	1-10 1/4 (565)	2-2 1/4 (667)	2-6 1/4 (768)	2-8 1/4 (819)	2-10 1/4 (870)	3-0 1/4 (921)
RO Rad. (mm)	3-4 1/2 (1029)	3-4 1/2 (1029)	4-6 1/2 (1384)	6-0 1/2 (1842)	6-0 1/2 (1842)	6-0 1/2 (1842)
	3-2 7/64 (968) 2-7 25/32 (807) USHRTG2 1612	3-4 63/64 (1041) 2-7 47/64 (806) USHRTG2 2012	3-4 39/64 (1031) 2-7 49/64 (807) USHRTG2 2412	3-3 9/64 (994) 2-7 13/16 (808) USHRTG2 2612	3-4 9/64 (1019) 2-7 51/64 (808) USHRTG2 2812	3-5 7/32 (1047) 2-7 51/64 (808) USHRTG2 3012
	3-6 7/64 (1070) 2-11 25/32 (809) USHRTG2 1614	3-8 63/64 (1142) 2-11 47/64 (908) USHRTG2 2014	3-8 39/64 (1133) 2-11 49/64 (909) USHRTG2 2414	3-7 9/64 (1096) 2-11 13/16 (910) USHRTG2 2614	3-8 9/64 (1121) 2-11 51/64 (909) USHRTG2 2814	3-9 7/32 (1149) 2-11 51/64 (909) USHRTG2 3014
	3-10 7/64 (1171) 3-3 25/32 (1010) USHRTG2 1616	4-0 63/64 (1244) 3-3 47/64 (1009) USHRTG2 2016	4-0 39/64 (1235) 3-3 49/64 (1010) USHRTG2 2416	3-11 9/64 (1197) 3-3 13/16 (1011) USHRTG2 2616	4-0 9/64 (1223) 3-3 51/64 (1011) USHRTG2 2816	4-1 7/32 (1250) 3-3 51/64 (1011) USHRTG2 3016
	4-2 7/64 (1273) 3-7 25/32 (1112) USHRTG2 1618	4-4 63/64 (1346) 3-7 47/64 (1111) USHRTG2 2018	4-4 39/64 (1336) 3-7 49/64 (1112) USHRTG2 2418	4-3 9/64 (1299) 3-7 13/16 (1113) USHRTG2 2618	4-4 9/64 (1324) 3-7 51/64 (1113) USHRTG2 2818	4-5 7/32 (1352) 3-7 51/64 (1112) USHRTG2 3018
	4-6 7/64 (1374) 3-11 25/32 (1213) USHRTG2 1620	4-8 63/64 (1447) 3-11 47/64 (1213) USHRTG2 2020	4-8 39/64 (1438) 3-11 49/64 (1213) USHRTG2 2420	4-7 9/64 (1400) 3-11 13/16 (1214) USHRTG2 2620	4-8 9/64 (1426) 3-11 51/64 (1214) USHRTG2 2820	4-9 7/32 (1453) 3-11 51/64 (1214) USHRTG2 3020
	4-10 7/64 (1476) 4-3 25/32 (1315) USHRTG2 1622	5-0 63/64 (1549) 4-3 47/64 (1314) USHRTG2 2022	5-0 39/64 (1539) 4-3 49/64 (1315) USHRTG2 2422	4-11 9/64 (1502) 4-3 13/16 (1316) USHRTG2 2622	5-0 9/64 (1527) 4-3 51/64 (1316) USHRTG2 2822	5-1 7/32 (1555) 4-3 51/64 (1316) USHRTG2 3022
	5-2 7/64 (1578) 4-7 25/32 (1417) USHRTG2 1624	5-4 63/64 (1650) 4-7 47/64 (1416) USHRTG2 2024	5-4 39/64 (1641) 4-7 49/64 (1417) USHRTG2 2424	5-3 9/64 (1604) 4-7 13/16 (1418) USHRTG2 2624	5-4 9/64 (1629) 4-7 51/64 (1417) USHRTG2 2824	5-5 7/32 (1657) 4-7 51/64 (1417) USHRTG2 3024
	5-6 7/64 (1679) 4-11 25/32 (1518) USHRTG2 1626	5-8 63/64 (1752) 4-11 47/64 (1517) USHRTG2 2026	5-8 39/64 (1743) 4-11 49/64 (1518) USHRTG2 2426	5-7 9/64 (1705) 4-11 13/16 (1519) USHRTG2 2626	5-8 9/64 (1731) 4-11 51/64 (1519) USHRTG2 2826	5-9 7/32 (1758) 4-11 51/64 (1519) USHRTG2 3026
	5-10 7/64 (1781) 5-3 25/32 (1620) USHRTG2 1628	6-0 63/64 (1854) 5-3 47/64 (1619) USHRTG2 2028	6-0 39/64 (1844) 5-3 49/64 (1620) USHRTG2 2428	4-11 13/16 (1519) 5-3 13/16 (1621) USHRTG2 2628	6-0 9/64 (1832) 5-3 51/64 (1621) USHRTG2 2828	6-1 7/32 (1860) 5-3 51/64 (1620) USHRTG2 3028 E
RO (mm)	5-10 7/64 (1781)	6-0 63/64 (1854)	6-0 39/64 (1844)	4-11 13/16 (1519)	6-0 9/64 (1832)	6-1 7/32 (1860)
RO Spln. (mm)	5-3 25/32 (1620)	5-3 47/64 (1619)	5-3 49/64 (1620)	5-3 13/16 (1621)	5-3 51/64 (1621)	5-3 51/64 (1620)

SINGLE HUNG ROUND TOP G2

RT21 AND RT22 STANDARD SIZES OPERATORS

RO (mm)	3-2 1/4 (972)	3-6 1/4 (1073)	3-10 1/4 (1175)	4-2 1/4 (1276)	4-6 1/4 (1378)	5-0 1/4 (1530)
RO Rad. (mm)	6-0 1/2 (1842)	7-0 1/2 (2146)	7-0 1/2 (2146)	9-0 1/2 (2756)	9-0 1/2 (2756)	9-0 1/2 (2756)
	3-6 25/64 (1077) 2-7 25/32 (807)	3-6 53/64 (1088) 2-7 51/64 (808)	3-9 15/64 (1149) 2-7 49/64 (807)	3-7 7/8 (1115) 2-7 13/16 (808)	3-10 1/16 (1169) 2-7 13/16 (807)	4-1 3/4 (1262) 2-7 13/16 (807)
	USHRTG2 3212	USHRTG2 3612	USHRTG2 4012	USHRTG2 4412	USHRTG2 4812	USHRTG2 5412
	3-10 25/64 (1178) 2-11 25/32 (909)	3-10 53/64 (1189) 2-11 51/64 (909)	4-1 15/64 (1250) 2-11 49/64 (909)	3-11 7/8 (1216) 2-11 13/16 (909)	4-2 1/16 (1271) 2-11 13/16 (909)	4-5 3/4 (1364) 2-11 13/16 (909)
	USHRTG2 3214	USHRTG2 3614	USHRTG2 4014	USHRTG2 4414	USHRTG2 4814	USHRTG2 5414
	4-2 25/64 (1280) 3-3 25/32 (1010)	4-2 53/64 (1291) 3-3 51/64 (1011)	4-5 15/64 (1352) 3-3 49/64 (1010)	4-3 7/8 (1318) 3-3 13/16 (1011)	4-6 1/16 (1373) 3-3 13/16 (1011)	4-9 3/4 (1466) 3-3 13/16 (1010)
	USHRTG2 3216	USHRTG2 3616	USHRTG2 4016	USHRTG2 4416	USHRTG2 4816	USHRTG2 5416
	4-6 25/64 (1381) 3-7 25/32 (1112)	4-6 53/64 (1393) 3-7 51/64 (1112)	4-9 15/64 (1454) 3-7 49/64 (1112)	4-7 7/8 (1419) 3-7 13/16 (1113)	4-10 1/16 (1474) 3-7 13/16 (1112)	5-1 3/4 (1567) 3-7 13/16 (1112)
	USHRTG2 3218	USHRTG2 3618	USHRTG2 4018	USHRTG2 4418	USHRTG2 4818	USHRTG2 5418
	4-10 25/64 (1483) 3-11 25/32 (1214)	4-10 53/64 (1494) 3-11 51/64 (1214)	5-1 15/64 (1555) 3-11 49/64 (1213)	4-11 7/8 (1521) 3-11 13/16 (1214)	5-2 1/16 (1576) 3-11 13/16 (1214)	5-5 3/4 (1669) 3-11 13/16 (1213)
	USHRTG2 3220	USHRTG2 3620	USHRTG2 4020	USHRTG2 4420	USHRTG2 4820	USHRTG2 5420
	5-2 25/64 (1685) 4-3 25/32 (1315)	5-2 53/64 (1696) 4-3 51/64 (1316)	5-5 15/64 (1657) 4-3 49/64 (1315)	5-3 7/8 (1623) 4-3 13/16 (1316)	5-6 1/16 (1677) 4-3 13/16 (1315)	5-9 3/4 (1770) 4-3 13/16 (1315)
	USHRTG2 3222	USHRTG2 3622	USHRTG2 4022	USHRTG2 4422	USHRTG2 4822	USHRTG2 5422
	5-6 25/64 (1686) 4-7 25/32 (1417)	5-6 53/64 (1697) 4-7 51/64 (1417)	5-9 15/64 (1758) 4-7 49/64 (1417)	5-7 7/8 (1724) 4-7 13/16 (1417)	5-10 1/16 (1779) 4-7 13/16 (1417)	6-1 3/4 (1872) 4-7 13/16 (1417)
	USHRTG2 3224	USHRTG2 3624	USHRTG2 4024	USHRTG2 4424	USHRTG2 4824	USHRTG2 5424
	5-10 25/64 (1788) 4-11 25/32 (1518)	5-10 53/64 (1799) 4-11 51/64 (1519)	6-1 15/64 (1860) 4-11 49/64 (1518)	5-11 7/8 (1826) 4-11 13/16 (1519)	6-2 1/16 (1881) 4-11 13/16 (1519)	6-5 3/4 (1974) 4-11 13/16 (1518)
	USHRTG2 3226 E	USHRTG2 3626 E	USHRTG2 4026 E	USHRTG2 4426 E	USHRTG2 4826 E	USHRTG2 5426 E
	6-2 25/64 (1889) 5-3 25/32 (1620)	6-2 53/64 (1901) 5-3 51/64 (1620)	6-5 15/64 (1962) 5-3 49/64 (1620)	6-3 7/8 (1927) 5-3 13/16 (1621)	6-6 1/16 (1982) 5-3 13/16 (1620)	6-9 3/4 (2075) 5-3 13/16 (1620)
	USHRTG2 3228 E	USHRTG2 3628 E	USHRTG2 4028 E	USHRTG2 4428 E	USHRTG2 4828 E	USHRTG2 5428 E
RO (mm)	6-2 25/64 (1889)	6-2 53/64 (1901)	6-5 15/64 (1962)	6-3 7/8 (1927)	6-6 1/16 (1982)	6-9 3/4 (2075)
RO Spln. (mm)	5-3 25/32 (1620)	5-3 51/64 (1620)	5-3 49/64 (1620)	5-3 13/16 (1621)	5-3 13/16 (1620)	5-3 13/16 (1620)

SINGLE HUNG ROUND TOP G2

RT21 AND RT22 STANDARD SIZES OPERATORS

RO (mm)	1-10 1/4 (565)	2-2 1/4 (667)	2-6 1/4 (768)	2-8 1/4 (819)	2-10 1/4 (870)	3-0 1/4 (921)
RO Rad. (mm)	3-4 1/2 (1029)	3-4 1/2 (1029)	4-6 1/2 (1384)	6-0 1/2 (1842)	6-0 1/2 (1842)	6-0 1/2 (1842)
	6-2 7/64 (1882) 5-7 25/32 (1721) USHRTG2 1630	6-4 63/64 (1955) 5-7 47/64 (1721) USHRTG2 2030	6-4 39/64 (1946) 5-7 49/64 (1721) USHRTG2 2430	6-3 9/64 (1908) 5-7 13/16 (1722) USHRTG2 2630	6-4 9/64 (1834) 5-7 51/64 (1722) USHRTG2 2830 E	6-5 7/32 (1961) 5-7 51/64 (1722) USHRTG2 3030 E
	6-6 7/64 (1984) 5-11 25/32 (1823) USHRTG2 1632	6-8 63/64 (2057) 5-11 47/64 (1822) USHRTG2 2032	6-8 39/64 (2047) 5-11 49/64 (1823) USHRTG2 2432	6-7 9/64 (2010) 5-11 13/16 (1824) USHRTG2 2632 E	6-8 9/64 (2035) 5-11 51/64 (1824) USHRTG2 2832 E	6-9 7/32 (2063) 5-11 51/64 (1824) USHRTG2 3032 E
	6-10 7/64 (2086) 6-3 25/32 (1925) USHRTG2 1634	7-0 63/64 (2158) 6-3 47/64 (1924) USHRTG2 2034	7-0 39/64 (2149) 6-3 49/64 (1925) USHRTG2 2434 E	6-11 9/64 (2112) 6-3 13/16 (1926) USHRTG2 2634 E	7-0 9/64 (2137) 6-3 51/64 (1925) USHRTG2 2834 E	7-1 7/32 (2165) 6-3 51/64 (1925) USHRTG2 3034 E
	7-2 7/64 (2187) 6-7 25/32 (2026) USHRTG2 1636	7-4 63/64 (2260) 6-7 47/64 (2025) USHRTG2 2036	7-4 39/64 (2251) 6-7 49/64 (2026) USHRTG2 2436 E	7-3 9/64 (2213) 6-7 13/16 (2027) USHRTG2 2636 E	7-4 9/64 (2239) 6-7 51/64 (2027) USHRTG2 2836 E	7-5 7/32 (2266) 6-7 51/64 (2027) USHRTG2 3036 E
	7-10 7/64 (2390) 7-3 25/32 (2229) USHRTG2 1640	8-0 63/64 (2463) 7-3 47/64 (2229) USHRTG2 2040 E	8-0 39/64 (2454) 7-3 49/64 (2229) USHRTG2 2440 E	7-11 9/64 (2416) 7-3 13/16 (2230) USHRTG2 2640 E	8-0 9/64 (2442) 7-3 51/64 (2230) USHRTG2 2840 E	8-1 7/32 (2469) 7-3 51/64 (2230) USHRTG2 3040 E
	8-2 7/64 (2492) 7-7 25/32 (2331) USHRTG2 1642	8-4 63/64 (2565) 7-7 47/64 (2330) USHRTG2 2042 E	8-4 39/64 (2555) 7-7 49/64 (2331) USHRTG2 2442 E	8-3 9/64 (2518) 7-7 13/16 (2332) USHRTG2 2642 E	8-4 9/64 (2543) 7-7 51/64 (2332) USHRTG2 2842 E	8-5 7/32 (2571) 7-7 51/64 (2332) USHRTG2 3042 E
	9-6 7/64 (2898) 8-11 25/32 (2737) USHRTG2 1650	9-8 63/64 (2971) 8-11 47/64 (2737) USHRTG2 2050 E	7-7 49/64 (2831) 8-11 49/64 (2737) USHRTG2 2450 E	9-7 9/64 (2924) 8-11 13/16 (2738) USHRTG2 2650 E	9-8 9/64 (2950) 8-11 51/64 (2738) USHRTG2 2850 E	9-10 25/64 (3007) 8-11 25/32 (2738) USHRTG2 3050 E

SINGLE HUNG ROUND TOP G2

RT21 AND RT22 STANDARD SIZES OPERATORS

RO (mm)	3-2 1/4 (972)	3-6 1/4 (1073)	3-10 1/4 (1175)	4-2 1/4 (1276)	4-6 1/4 (1378)	5-0 1/4 (1530)
RO Rad. (mm)	6-0 1/2 (1842)	7-0 1/2 (2146)	7-0 1/2 (2146)	9-0 1/2 (2756)	9-0 1/2 (2756)	9-0 1/2 (2756)
RO (mm) RO Spln. (mm)	6-6 25/64 (1991) 5-7 25/32 (1722)	6-6 53/64 (2002) 5-7 51/64 (1722)	6-9 15/64 (2063) 5-7 49/64 (1721)	6-7 7/8 (2029) 5-7 13/16 (1722)	6-10 1/16 (2084) 5-7 13/16 (1722)	7-1 3/4 (2177) 5-7 13/16 (1721)
	USHRTG2 3230 E	USHRTG2 3630 E	USHRTG2 4030 E	USHRTG2 4430 E	USHRTG2 4830 E	USHRTG2 5430 E
RO (mm) RO Spln. (mm)	6-10 25/64 (2093) 5-11 25/32 (1823)	6-10 53/64 (2104) 5-11 51/64 (1824)	7-1 15/64 (2165) 5-11 49/64 (1823)	6-11 7/8 (2131) 5-11 13/16 (1824)	7-2 1/16 (2185) 5-11 13/16 (1823)	7-5 3/4 (2278) 5-11 13/16 (1823)
	USHRTG2 3232 E	USHRTG2 3632 E	USHRTG2 4032 E	USHRTG2 4432 E	USHRTG2 4832 E	USHRTG2 5432 E
RO (mm) RO Spln. (mm)	7-2 25/64 (2194) 6-3 25/32 (1925)	7-2 53/64 (2205) 6-3 51/64 (1925)	7-5 15/64 (2266) 6-3 49/64 (1925)	7-3 7/8 (2232) 6-3 13/16 (1925)	7-6 1/16 (2287) 6-3 13/16 (1925)	7-9 3/4 (2380) 6-3 13/16 (1925)
	USHRTG2 3234 E	USHRTG2 3634 E	USHRTG2 4034 E	USHRTG2 4434 E	USHRTG2 4834 E	USHRTG2 5434 E
RO (mm) RO Spln. (mm)	7-6 25/64 (2296) 6-7 25/32 (2026)	7-6 53/64 (2307) 6-7 51/64 (2027)	7-9 15/64 (2368) 6-7 49/64 (2026)	7-7 7/8 (2334) 6-7 13/16 (2027)	7-10 1/16 (2389) 6-7 13/16 (2027)	8-1 3/4 (2482) 6-7 13/16 (2026)
	USHRTG2 3236 E	USHRTG2 3636 E	USHRTG2 4036 E	USHRTG2 4436 E	USHRTG2 4836 E	USHRTG2 5436 E
RO (mm) RO Spln. (mm)	8-2 25/64 (2499) 7-3 25/32 (2230)	8-2 53/64 (2510) 7-3 51/64 (2230)	8-5 15/64 (2571) 7-3 49/64 (2229)	8-3 7/8 (2537) 7-3 13/16 (2230)	8-6 1/16 (2592) 7-3 13/16 (2230)	8-9 3/4 (2685) 7-3 13/16 (2229)
	USHRTG2 3240 E	USHRTG2 3640 E	USHRTG2 4040 E	USHRTG2 4440 E	USHRTG2 4840 E	USHRTG2 5440 E
RO (mm) RO Spln. (mm)	8-6 25/64 (2601) 7-7 25/32 (2331)	8-6 53/64 (2612) 7-7 51/64 (2332)	8-9 15/64 (2673) 7-7 49/64 (2331)	8-7 7/8 (2639) 7-7 13/16 (2332)	8-10 1/16 (2693) 7-7 13/16 (2331)	9-1 3/4 (2786) 7-7 13/16 (2331)
	USHRTG2 3242 E	USHRTG2 3642 E	USHRTG2 4042 E	USHRTG2 4442 E	USHRTG2 4842 E	USHRTG2 5442 E
RO (mm) RO Spln. (mm)	9-10 25/64 (3007) 8-11 25/32 (2738)	9-10 53/64 (3018) 8-11 51/64 (2738)		9-11 7/8 (3045) 8-11 13/16 (2738)		
	USHRTG2 3250 E	USHRTG2 3650 E		USHRTG2 4450 E		