









Style

This is the new look of the LCN 1460 series. The popular non-handed, non-sized 1460 is now available with an optional Designer Series metal cover that gives you a choice to enhance your entrances.

Sizing

The new 1460 series spans the full size range of 1-6 to meet all opening requirements with just one universal cylinder.

LCN 1460 SERIES



Speed

1

Determine the mounting location. Stick the no measure template to the door and frame. The template pinpoints every hole to be drilled and assures that the 1460 will be installed fast and accurately.





2

Secure the Rapidor™ hands-free bracket per the template with new self reaming and tapping screws. Now adjust the spring power with the rotation indicator which signals each revolution.







3

Snap the spring tube into the bracket clamp and slide the cylinder pins into the bracket. Complete the mounting with self reaming and tapping screws. Attach the arm, pop on the cover and the 1460 is up and running faster than any closer ever installed.







Color

More Choices

You now have the option to complement your design with a choice of closer colors. Choose from over 7 standard, 180 powder coated and 11 plated finishes. LCN's powder coating provides superior protection from color fading and weathering.

The Traditional Look

Standard 1460 Cover



Multiple Cover Options

Leave it to LCN to offer a choice. The popular slim line non-metallic cover will be the standard with all 1460 orders unless the new Designer Series cover is specified. LCN also offers an optional full cover and a slim line cover without the feature strip. Refer to the LCN CD or General Catalog.



LCN

121 West Railroad Avenue P.O. Box 100 Princeton, IL 61356-0100 800-526-2400 phone 800-248-1460 fax www.lcnclosers.com



