

Coastline Single Hung Windows

Unit Features.....	1
Maximum Guidelines	3
Lite Configurations	3
Single Hung, Standard-Performance Section Details	4
Single Hung, High-Performance Section Details.....	6

Unit Features

Product Name: Coastline Single Hung IZ4

Abbreviation: COSH IZ4

Frame:

- .078" typical wall thickness
- 3.000" frame depth
- Optional Color Finishes:
 - Stone White
 - Bronze
 - Ebony
 - Walnut
 - Hazelnut
 - Red Cinnamon
 - English Oak
 - White Kynar
 - Bronze Kynar
 - Black Kynar
 - Custom Colors available

Style:

- Equal, Unequal and Custom Lite available
- High Performance option available

Hardware:

- Standard Dual Point Lock

Screen:

- Fiberglass Mesh

Divided Lite Options:

- SDL/GBG Patterns:
 - Equal Rectangular
 - Prairie
- Simulated Divided Lite Profiles:
 - 1" Ogee (ext) / 1" Flat (int)
 - 1" Square (ext) / 1" Flat (int)
 - 1" Flat (ext) / 1" Flat (int)
 - 2" Flat (ext) / 2" Flat (int)
- GBG Profile:
 - 13/16" sightline

Glass and Glazing:


- Glass Options:
 - 5/16" HS Laminated PVB or SGP
 - 7/16" HS Laminated PVB or SGP
 - 11/16" Insulated Laminated PVB
- Glass Tint Options
 - Clear
 - Grey Tint
 - Bronze Tint
 - Green Tint
 - Azurelite Blue Tint
 - LoE 366 Clear
 - LoE 366 Grey
 - LoE 366 Bronze
 - LoE 366/ i89
- Options:
 - White Interlayer
 - Pat 62 Obscure
 - Rain
 - Glue Chip
 - Double Tint
 - Neat
 - Ogee Glazing Beads
 - Sash Lifts

Maximum Guidelines

PRODUCT ABBREVIATION	MAX FRAME AREA (sq ft)	MAX FRAME WIDTH (in)	MAX FRAME HEIGHT (in)	MAX DESIGN PRESSURE (PSF)	OPERATION
COSH IZ4	35	53-1/8	96	+ 106.7 / -130	Vertical Sliding
Max Area Cannot Be Exceeded, Reference Florida Product Approvals For Actual Design Pressure					

Configurations


Equal Lite




Unequal Lite




2 Hi Sash




3 Hi Sash



4 Hi Sash




5 Hi Sash





6 Hi Sash


Section Details Single Hung, Standard-Performance



Section Details Single Hung, Standard-Performance



Section Details Single Hung, High-Performance



Section Details Single Hung, High-Performance

