

Coastline Picture and Specialty Shape Windows

Unit Features	1
Maximum Guidelines	3
Configurations	3
Picture Narrow Frame Section Details	4
Picture Section Details	6

Unit Features

Product Name: Coastline Picture IZ4, Coastline Picture Narrow Frame IZ4, Coastline Specialty Shapes IZ4, Coastline Specialty Shapes Narrow Frame IZ4

Abbreviation: CODGNF RECT IZ4, CODG RECT IZ4, CODGNF POLY IZ4, CODG POLY IZ4, CODGNF RT IZ4, CODG RT IZ4

Frame:

- .078" typical wall thickness
- 3.000" Frame Depth:
 - CODGNF RECT IZ4
 - CODGNF POLY IZ4
 - CODGNF RT IZ4
- 4.688" Frame Depth
 - CODG RECT IZ4
 - CODG POLY IZ4
 - CODG RT IZ4
- Optional Color Finishes:
 - Stone White
 - Bronze
 - Ebony
 - Walnut
 - Hazelnut
 - Red Cinnamon
 - English Oak
 - White Kynar
 - Bronze Kynar
 - Black Kynar
 - Custom Colors available

Style:

- Rectangle: Coastline Picture IZ4, Coastline Picture Narrow Frame IZ4
- Shapes: Coastline Specialty Shapes IZ4, Coastline Specialty Shapes Narrow Frame IZ4
 - Fan, Arch, Eyebrow, Circle, Oval, Half Fan, Half Arch, Half Eyebrow, Half Circle, Quarter Circle, Triangle, Trapezoid, Pentoid, Hexagon, Octagon

Divided Lite Options:

- SDL/GBG Patterns:
 - Equal Rectangular
 - Prairie
 - Sunburst (Round Top only)
- Simulated Divided Lite Profiles:
 - 1" Ogee (ext) / 1" Flat (int)
 - 1" Square (ext) / 1" Flat (int)
 - 1" Flat (ext) / 1" Flat (int)
 - 2" Flat (ext) / 2" Flat (int)
- GBG Profile:
 - 13/16" sightline
- Authentic Divided Lite:
 - 3 1/4" sightline
 - Horizontal only
 - CODG RECT IZ4 only

Glass and Glazing:

- Glass Options:
 - All Coastline Picture Windows:
 - 7/16" HS Laminated PVB
 - Coastline Picture Narrow Frame only:
 - 5/16" HS Laminated PVB
 - 7/16" HS Laminated SGP
 - 1-1/8" Insulated Laminated PVB or SGP
 - Coastline Picture only:
 - 1 1/4" Insulated Laminated PVB or SGP
 - 9/16" HS Laminated PVB
- Glass Tint Options
 - Clear
 - Grey Tint
 - Bronze Tint
 - Green Tint
 - Azurelite Blue Tint
 - LoE 366 Clear
 - LoE 366 Grey
 - LoE 366 Bronze
 - LoE 366/ I-89
- Options:
 - White Interlayer
 - Pat 62 Obscure
 - Rain
 - Glue-Chip
 - Ogee Glass Stops
 - Double Tint
 - Neat
 - Decorative Insulated Laminated Impact Glass:
 - Wrought Iron
 - Melted
 - Leaded

Maximum Guidelines

PRODUCT ABBREVIATION	MAX FRAME AREA (sq ft)	MAX FRAME WIDTH (in)	MAX FRAME HEIGHT (in)	MAX DESIGN PRESSURE (PSF)	OPERATION
CODGNF RECT IZ4	44.250	145.250	145.250	+90 / -130	Fixed
CODGNF RT IZ4	54	150	150	+90 / -130	Fixed
CODGNF POLY IZ4	54	150	150	+90 / -130	Fixed
CODG RECT IZ4	64.250	145.250	145.250	+100 / -110	Fixed
CODG RT IZ4	72	156	156	+100 / -110	Fixed
CODG POLY IZ4	72	156	156	+100 / -110	Fixed
Max Area Cannot Be Exceeded, Reference Florida Product Approvals For Actual Design Pressure					


Configurations

Rectangular Fixed




Picture



Specialty Shapes





Section Details Picture Narrow Frame



Section Details Picture Narrow Frame



Section Details Picture



Section Details Picture

